# Federal Emergency Management Agency

Washington, D.C. 20472

# LETTER OF MAP AMENDMENT
# DETERMINATION DOCUMENT (REMOVAL)

| COMMUNITY AND MAP PANEL INFORMATION | | LEGAL PROPERTY DESCRIPTION |
|---|---|---|
| COMMUNITY | OLMSTED COUNTY, MINNESOTA (Unincorporated Areas) | Lot 33, Rose Haven Subdivision, as shown on the Plat recorded as Document No. 228735, in the Office of the Register of Deeds, Olmsted County, Minnesota |
| | COMMUNITY NO.: 270626 | |
| AFFECTED MAP PANEL | NUMBER: 27109C0306E | |
| | DATE: 2/4/1998 | |
| FLOODING SOURCE: BADGER RUN | | APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY: 43.986, -92.412<br>SOURCE OF LAT & LONG: PRECISION MAPPING STREETS 4.0 DATUM: NAD 83 |

## DETERMINATION

| LOT | BLOCK/ SECTION | SUBDIVISION | STREET | OUTCOME WHAT IS REMOVED FROM THE SFHA | FLOOD ZONE | 1% ANNUAL CHANCE FLOOD ELEVATION (NGVD 29) | LOWEST ADJACENT GRADE ELEVATION (NGVD 29) | LOWEST LOT ELEVATION (NGVD 29) |
|---|---|---|---|---|---|---|---|---|
| 33 | -- | Rose Haven | 2510 Pearl Court SE | Structure (Residence) | X (unshaded) | -- | 1032.0 feet | -- |

**Special Flood Hazard Area (SFHA)** - The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (Please refer to the appropriate section on Attachment 1 for the additional considerations listed below.)

DETERMINATION TABLE (CONTINUED) STUDY UNDERWAY
PORTIONS REMAIN IN THE SFHA
ZONE A

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Amendment for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the structure(s) on the property(ies) is/are not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document amends the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, 3601 Eisenhower Avenue, Suite 130, Alexandria, VA 22304-6439.

William R Blanton Jr

William R. Blanton Jr., CFM, Chief
Engineering Management Branch
Mitigation Directorate

# Federal Emergency Management Agency

Washington, D.C. 20472

## LETTER OF MAP AMENDMENT
## DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

**DETERMINATION TABLE (CONTINUED)**

| LOT | BLOCK/ SECTION | SUBDIVISION | STREET | **OUTCOME** WHAT IS REMOVED FROM THE SFHA | FLOOD ZONE | 1% ANNUAL CHANCE FLOOD ELEVATION (NGVD 29) | LOWEST ADJACENT GRADE ELEVATION (NGVD 29) | LOWEST LOT ELEVATION (NGVD 29) |
|---|---|---|---|---|---|---|---|---|
| 33 | -- | Rose Haven | 2510 Pearl Court SE | Structure (Garage) | X (unshaded) | -- | 1031.6 feet | -- |

**PORTIONS OF THE PROPERTY REMAIN IN THE SFHA (This Additional Consideration applies to the preceding 2 Properties.)**

Portions of this property, but not the subject of the Determination/Comment document, may remain in the Special Flood Hazard Area. Therefore, any future construction or substantial improvement on the property remains subject to Federal, State/Commonwealth, and local regulations for floodplain management.

**ZONE A (This Additional Consideration applies to the preceding 2 Properties.)**

The National Flood Insurance Program map affecting this property depicts a Special Flood Hazard Area that was determined using the best flood hazard data available to FEMA, but without performing a detailed engineering analysis. The flood elevation used to make this determination is based on approximate methods and has not been formalized through the standard process for establishing base flood elevations published in the Flood Insurance Study. This flood elevation is subject to change.

**STUDY UNDERWAY (This Additional Consideration applies to all properties in the LOMA DETERMINATION DOCUMENT (REMOVAL))**

This determination is based on the flood data presently available. However, the Federal Emergency Management Agency is currently revising the National Flood Insurance Program (NFIP) map for the community. New flood data could be generated that may affect this property. When the new NFIP map is issued it will supersede this determination. The Federal requirement for the purchase of flood insurance will then be based on the newly revised NFIP map.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, 3601 Eisenhower Avenue, Suite 130, Alexandria, VA 22304-6439.

William R Blanton Jr

William R. Blanton Jr., CFM, Chief
Engineering Management Branch
Mitigation Directorate