8-25-11 set C/M. over 5/8 x 16" iron pipe projecting on E side

1/4 corner North 41 Hi Forest 104-14 ①

#440103

5-1902 Fr Fraser P16B 21 104-14. Lines of 2 34-35-36 105-14 John Beach, Robt Salton, John McBride. found stake set by Truman accepted as accurate by all parties - set stone 8x8x22 by its side.

-16 west set stone 4x5x18. M&L 20.78, to temp stake at NW cor 1. (1371.48'

-16 east set stone 20" x 9"x6" at bottom x 1½"x4" at top. M&L 20.66. (1363.56' to temp corner.

- meas east to SE cor 35, 3.43 chs (226.38'

-16 south set stone 22" x (6"x8" at bottom) pointed at top over

1/16 corner west of N 1/4 1 RP

10.65 west to orange cap on South side 3 phase power pole

8-24-71 found 1/16 L stone of record size at mean tested. set iron bolt on N side and 4" sgrard long oak post on S side - later line run from SW 35 east to N 1/4 the line which came on S edge stone - bolt should be put on N side.

1/16 corner east of N 1/4 1

9-15-71 found recorded size limestone in very vertical position at mean tested. set steel post (red top) on N side stone.

RP. 2.5' SE to 10" oak corner post of fence S and W.

1/16 corner center NE 1/4 1

9-17-71 walked to corner area found large vertical limestone 6 x 10 x 20 2' east of corner post and slightly south of fence down. 20" set. boulder 5 x 8 x 16 with one side flat centering over stone

See E 1/4 1 for tie search.

Card # 2. N 1/4 1 High 7 crest 104-14. (2).
#440108
used C/M as set and iron rod in place at S 34-35
for range line to reset N 1-2, S 1/4 35 and S 35-36.
and check line of 1/16 stone betw N 1/4 1 and west.
No R.P.s to N 1/4 1 - corner comes 252.66 east of center
N-S road. - 226.38 east to car axle set as S 35-36
in center bottom of ditch also 130'± to center huge
transmission power pole. west in fence line.
corner came under fence.
summary of final meas from corner as set.

N 1/4 1 east to gear set as S 35-36.	226.38.	R 226.38.
N 1/4 1 east to 1/16 stone found of Sec 1	1363.65	R 1363.56
N 1/4 1 east to NE 1 township cor mon.	2727.55	R 2727.12
N 1/4 1 west to 1/16 stone found of Sec 1	1371.46	R 1371.48
set N 1-2 double	1371.46	R 2742.96
	2742.92	
N 1/4 1 west to S 1/4 35 reset M & L found corner close	2414.14.	R 2413.86

set on line and gobt pcrp North 18.91½ (1208.79'
then 19.90½ to center (1313.73'

8-24-71 found 1/16 stone near a limestone of recorded size 4 x 5 x 18. which later proved just north of range line. set iron bolt 20" long on N side stone believing that would be about true line with 4" square wood post on south side of stone - now true line should be iron on south not north side stone
8-25-71 Meas final from 1/16 stone 1042.68. R 1042.38.
Meas final 1/16 east to C/M at N¼41. 1371.46. R 1371.48
Meas of 1042.68 to C/M set as S¼35 M&L 2640.2. R 2640.
dug twice before finding recorded. 8 x 8 x 22 Limestone badly shattered by elements! stone tilted but large enough to center bottom set C/M over 5/8" x 16" iron with old round hollow steel post (antique) on east side C/M and large portion of orig stone around corner as set.

See Card # 2.

Card #3 N ¼ 1 High Forest 104-14 #44010 (3)

5-16-95 Fd CIM in good condition under G-W fence. Set post & sign 1' south of monument.