9-16-71 found recorded stone left as found. (1)

#440109

1/4 corner Center L. Hi Forest 10 4-14

5-1902 Pr Fraser P16B SI 104-14, L lines L 34-35-36 105-14. John Beach, Robt Sultan, John McBride found stake under boulder stone set by Freeman some years before, all parties satisfied with his work. stake & stone under N-S fences & set at intersections.

-16 west. set stone 6 x 8 x 20 M & L no mear.

-16 east set stone 3 x 5 x 15 " "

-16 north set stone 22" x 6 x 8 at bottom pointed at top. set on line and gost pop- north 19.90 1/2. 1313.73 then 18.31 1/2 (1208.79'

over

Card # 2. Center 1 High Forest 104-14. (2)

#4up109

on east side 3.5' long up at least 12" stone down 10".
Mean from stone at Center 1 and 1/16 stone north · 1313.75 R1313.73

10-27-71. projected line from 1/16 stone in center NE 1/4 1 from 1/16 stone on N line NE 1/4 1 to E-W 1/4 line and set straddles.

11-12-71 found 1/16 stone west of center 1 at 1346.9 & recorded. 6 x 8 x 20 size. Mean computed record 1346.13
Cont line west and set 1/4 1-2. (huge flat boulder, slim, wide, long) at double and line.
— projected line and measured east carfully to intersect 1/16 line from north and set 1"4 x 3½' pipe at 1339.5 with long old iron fence post by pipe set at inters of these lines cont line & mean east, double mean & line to set E 1/4 1.

-16- Center NW 1/4 1 - set stone at inters lines
-16- Center NE 1/4 1 - set corner " "

9-16-71 started search for corner and E 1/4 1. found power pole on north line of 1 to be 130' west of N 1/4 1 used pole as offset west and set sight 130' west of nail in line fence north at S 1/4 1. later set S 1/4 1 on adjusted line 1.38' W. - found center 1 at 129.34 east and 1/16 N at 129.55 east. adjusted 1.38 west at S 1/4 (used exact center & 1/16 north ignored N 1/4 showed be 129.86 Pole not that accurate used to find corner. S 1/4 then at 128.62 or 1.38 west of nail.
left stone as found. later set iron post by stone never moved stone in case of pending lawsuit over property lines.

1/16 north found recorded stone fully recorded size 6 x 8 x 22. with large stake on west size, rest cross shaped iron Sec 1 and 2

RPS to corner - may be changed if fence moved.

27.7 WNW to knot on SW side top of Cor post fr. N

10.05 N to conc nail in knot on W side fence post.

Corner from fence now in place.

corner lies 2' west fence running south

" " 11'± south " " east.

" " 25± east " " north.

set brg channel iron post on E side of stone.

5-3-95 Found stone with Channel Iron post on East side ±10" deep with large pile of boulders on west side. The fences are still in position of 1971 survey.

5-15-95 ½ Cor East of Cen 1 104-14 Found 1½" pipe up 1 foot with steel post beside This was set in 1971 by Co. Surveyor. This falls 9" South of E-W elec fence line