~~4-21-1966 C/M set by Sanketone - found 8" dia stone~~
7-30-74 Set a C.I.M. cap on a ½" x 24" rod at Same Stone Location

¼ corner south ¼ 3 Hi Forest 104-14.
4-1875 Hunter P 271 no 269 & 3 L. L. Fish. #440304
found stake in center road, both B trees standing
found stake correct as placed set stone in its place.
- Meas east 40.00 Sec 3-104-15
- Meas west 20.13 M & L (~~unrecorded plat stone~~ stone MLL 19.99 4

11-1966 Sanketone. - found 8" dia stone 4' deep.
Disc corner fence post
" 42" Maple
" 24" Beak
" 6" Beak

N 36.29
NNE 58.4
NE 35.07
SE 39.72.

over)

disc · Corner fence post LW 63.34.

Corner. lies in line of north-south fences.

" " 20' south of east-west road.

Gov't B.T.s

N 10¾° E 13" Br. Oc. 400 lks

S 69¼° E 14" " " 341 lks

7-30-74 —

Dug in the area and scrapped the subsoil

Spk in W.Side 10" Oak — S.S.E, —— 46.14

Disc. in S.W. side 20" oak — N.E. —— 34.94

C.S. Disc in — P.P. # 10670 — N.N.W. 34.34

Center of Easterly of Twin 18" oak — S.W. — 31'

Aug. 5, 1974 — Replaced C.I.M. in Sandstone location This fit mount & lines of occupation better R.B.

#3

HI FOREST SOUTH ¼-3
Gov't Notes Ball 1853
West on true line between sections 3 & 10. #440304
40.00 set ¼ section post.
Bur Oak 14in. S-69¼ E-341 lks.
Bur Oak 13in. N-10 3/4 E-400 lks.

10-8-84 RWB - Jim Foote Survey
Found CIM - (Top down 4") ± 3' So. of ¼ E-W Rd.
did not check Ties.
Set ½" pipes 60.00' west on Sec. line and
410.00' East on Sec. line.