~~11-12-66. Sanborn found stone set 1" x 3' rod~~
7-26-79 Bug found stone - reset C.I.m. over shaft

(1)

section corner south 3-4 Hi Forest 104-14.
4-1875 Hunter P271 no 269 S3 L & Fish.
found or established corner - desc P343.
-16 east set M & L 20.13 #440305

5-1878 Hunter P343 no 337 S4 H D Morse & others
found stake with stone by side which no Fish owners
was where orig stake stood, found & used P271.
- Meas west 40.10 to S¼4 set M & L.
-16 north set stake 19.86 ½. To corner finally set this survey.

over)

11-21-1966. Sanksione assoc.
found stone monument and old splitting wedge as corner.
6' below present road surface.
set 1" x 36" rod. 6" below top rod.

Use corner fence post- N ~~32.5~~
" 18" elm. NNE ~~42.65~~
" tele pole. WSW ~~127.09~~
NE ~~45.9~~

3 chisel marks steel fence post.
corner lies 1 foot south of E-W road.
" " 2 feet east of fence line north.

7-26-74 - dug down - found stone tipped over - accepted
SANKstone iron. Drove pipe on E. side - piece of steel
post on W. side of stone set ½" x 18" rod under a.i.m.
stone 5' deep.

R.P.'s
C.S.D. E side cor post N. 3784 | 2" x 5' pine tree seedling N.E 55.2'
Punch hole W. end driveway C.M.P. E.NE 116.7'

#440305

HI FOREST SECTION CORNER SOUTH 3-4 #2
Gov't Notes Ball 1853 ---------- NO GOV'T NOTES IN BOOK

10-8-84 RWB - Jim Foote Survey in Sec. 10-10-14
Found CIM (Top down 6") in ℄ E-W road
Did not check Ties.