6-29-71. set CIM over. 5/8" x 2' rod. #940508 (1)
cert 4-18-75

1/4 corner North 1/4 5 High Forest 104-14.

No records found in "A" or "B" record books of surveys.

- High Forest Cemetery 9-1868 Book Z Page 393.
Samuel Freeman - Surv. 4-29-1870 platted 12-24-1869.

Situated in the NE corner of the NW quarter of section 5 Township No 104 N, Range No 14W. - beginning at a stone, the NE corner of the NW quarter of said section, thence west on the correction line 365', thence S 1/2° E 668 feet, thence east 365 feet, thence North 1/2° west 668 feet to place of beginning. lots 20' square; interior lots 20' x 10'. with area across south end is 11 feet wide.
- Railroad Ave is 25' wide (N-S thru center E+W.
- Centre avenue is 24' wide (E-W thru center of N-S.
- E, W, N, S avenues are 20' wide (all edges.
- streets are 6' wide (N-S between lots.
- 33' across north end is highway.

(over)

6-1-71 pushed eyeball line from most northerly lot marker on east side of center drive from lot markers 3 or 4 lots north - meas north 53' as on plat. found this point exact on section line between wagon skein found at S 31-32 and Will Frasers iron found by J. Kerr 1930 at S¼ 31 - Dug considerable in allotted time covering 2 or 3' all directions by probes & undermining. found where considerable digging had been done in past. filled hole (rain)

6-22-71 used tractor dug up road 6' E-W well south center road most showed much prior digging gave up all digging unless 1 rod or so - must work on cemetery lay out.

6-29-71 Co surv. extensively checked layout of cemetery. found numerous corners ① all corners on N side of N lots ② all corner on W side Tattered ear ③ projected line into Curtis E-W road. on 2' offset east ear pine tree in transit line. ④ ran exact aerial from C/M S¼ 31 to C/M S 31-32 this line came within .05' of meas from N line lots. Leg

card 2.

#440508

Card # 2. N-1/4-5 High Forest 104-14

(5) Meas east from nail on E-W line and 2' east of west line Fattened axe projects 193' and set C I M over. 5/8" x 2' rod and glass. No record

Meas east to C I M at S 31-32 C I M. 585.9.
Meas west to C I M at S 1/4 31. 2047.7.
Meas east to C I M at N 4-5 C I M. 2673.83.
Corner lies 4.17 ± N of direct line betw S 1/4 31 and N 4-5
30.4 S to center large steel corner cemetery fence.
120.2 ENE to center 18" oak.
163.7 EENE lyto pipe cap S side PP # 6001.
Corner lies 4' ± N of center road E-W.