#440607

1 6-29-71 set C I M over tupp corner (1)

section corner. township corner NW 6 104-14
NE 1 104-15.

6-1878 Hunter P 348 no 341 L 6 C L Goodrich & others.
found org stake standing & stumps of both B trees. but
stake off a few inches by Meas from trees reset stake properly.
-16 south set temp stake 18.25 then 20.02. N 1° 25' E
-16 east " " " 18.88 then 18.78 - meas east
record 40.10 actual 37.66
-16 Center NW 1/4 6. set Marked stake. on N S 1/16 line as established
and 18.28 from range line then 20.10.
See N 1/4 6 104-14

6-1878 Hunter P350 no 342 L 1 L L Puram.
found corner set P348.
- meas south 38.27.
- meas west 40.20 to M & L. N 1/4 1 - 35.40 to SW 36. (org)

6-1885 Hunter P398 No 388 & 1 P.M. Tuttle.
found engraved township corner stone.
-16 west found stake set P350 M & L 20.10
- set stakes 13 chains south & above 5/16 and twp corner.

5-1895 H Fraser P574 No 525 & 36 J Pursam & others.
Mention engraved twp corner used as east end of line to
set SW cor 36 105-15 which had washed out.
S 1/4 36 bus 4.50 chs east of NE cor 1. (on plat)
297.0

2-1909 Ch Armstrong P114B NE 1/4 & 1
found engraved twp corner.
-16 west found boulder 6x16x20 20.02 on standard parallel.
-16 south " corner at 18.25

4-1911 Ch Larson P 156B NW 1/4 26.
found engraved corner. - Meas east 18.78 chs 18.78 chs 6.72 found twp
1238.48 44352 cor S & 3

#440607 (2)

Card #2 Township corner. NW 6 104-14
NE 1 104-15.

12-23-1930 J Kerr. Book 4 Page 63 working in Sec 6.
Meas east from Twsp cor. mon. to Twsp cor. 2929.5 (not 2929.67)
set N 1/4 6 443.5 west of SW 31 SE 36
set " stone 3" thick running to point 1.7' long.
with stake on north side.

6-8-71 Co surv. set nail in center road at 2929.5 as recorded by John Kerr. without line referenced point carefully.
-6-22-71 dug with tractor from 4' north of N edge road south. finally found corner about 3' north of center road. 2.8' north of nail and 2.43' east. 3½' deep. with large wood block over stone in clear sub-road area. (over)

- Meas east to S ¼ 36 295.3 R 297.0
- Meas east to N ¼ 6 as set by JKerr 1930 B. 4 P63.

2484.02 R JKerr. 2486±, Hunter 2485.56

6-18-71. Meas west from nail eyefall due north of 29295 nail found main line fence running south with likely stone found by Armstrong in 1904 at 1321± which with 2.43 could be 2623± R. 1321.3 (set steel fence post by likely ¼ corner (no line or corner as yet - N ¼ 41 now problem as to line etc. RP to township corner. CIM set 6-29-71.

Pepsi cap near top SW side 4" cedar post. NW 23.4
Fresca cap on SE side corner post of fences N&W NE. 33.28
- Center Number plate 6030 S side power pole. ENE 137.00
- Hires brute cap on N side new cor post. ESE 100.5
- 20 D in lightly blazed tree ash. N 62.45
- Trail ends in to woods southwesterly. E 23.0