/ 6-13-79 CIM

#450107 (1)

section corner north 1-2 Hi Forest 104-15.
6-1877 Hunter P320 No 314 S2. Samuel Saulsberry, J Prebe.
Corner gone but both B tree stumps plain which set corner exactly the same set stake marked.
- Meas west 40.06 1/4 N & L. S27'E.
- Mea south 39.94

6-1878 Hunter P350 No 342 S1 J S Pierson
found stake set from B T stumps P320.
-16 east set stake N & L. 20.10. to 1/4 set M~~~~ midway only this survey
-16 south set temp stake for setting center NW 1/4.
line overran 161 links. 38.10 : 39.71 :: 20.00 : 20.84.
making Meas south. 18.87 chen 20.84. to 1/4 1 & 2 as set. see 1/4 1-2.
-16 center NW 1/4 S1. set stake on N-S 1/16 line at porpdict over)

which proved to be. 20.73 from 1/16 on E-W 1/4 line.
west of center 1.

6-1895 ~~Hunter~~ W Fraser P 637 no 574 Ld Carl Battcher, A Wilmott
found stake set P 320. set new stake & 2 stones by its side
one on top of the other and stake about 2 or 3 feet south
and east of corner post of fence.
- meas east to N 1/4 | 40.18 1/2.
- record meas to S 1/4 35 - 4.90 chs east.
-16 inch set stake & boulder M & L 20.02
- meas south to 1/4 | 2. 39.70 a gas pipe & boulder set.

Gov't Notes Ball 1853
North on true line between sections 1 & 2.
78.10 Intersected 1st. Standard Parallel 490 lks. west of
1/4 section post corner on south boundary of section
35 of town 105 north range 15 west of 5th. Meridian
Bur Oak 16in. S-77 W-255 lks.
Elm 14in. N-84 E-256 lks.

#450107 (2)

Section Corner North 1-2 High Forest 104-15

1979 Remon BK. Pages 60, 61, 65, 66, 91

Page 60 +61 : 5-17-1979 Probed around corner post to fence E-W-S but found nothing. Began traverse.

Page 65 +66 : Found 2 pieces of limestone, one standing on top of the other. They appears to have been a stone broken in two and together its dimension were 3X6X17. There was a greenish-blue boulder 6X8X15" on the North side of the limestones. The stone were down 18" and the old fence wire found 1' deep ran over them. The ground was so wet the hole kept filling with water and there was no way we could get a good look for the stake. We set a 20" CIM over a CTC on a 2' telepost driven on a 1" sq. x 30" pipe as the corner with the stone along side the telepost. Set a survey marker sign

and post 2' North. The E-W fence is 4' North and the fence South is 47' West

RP's:- Spike and CSD SE side blazed 14" Burr Oak in fence line South SW 72.08

- Spike and CSD East side 22" Burr Oak SE 162.53

- Spike and CSD in NE side blazed 9" Chinese Elm NW 43.71

Page 91: 6-13-79 We returned to this corner, removed the CIM and the CIC on the tekspar. Set the CIM on a ½"x 2' rod .92 South to bring this closing corner on the line from S. 34-35 E to S¼ 35. The survey sign is now 2.8 North

Retook R.P.'s:

- Spike and CSD in SE side blazed 14" Burr Oak in fence line South SW 71.32
- Spike and CSD in East side 22" Burr Oak SE 161.93
- Spike and CSD in NE side blazed 9" Chinese Elm NW 44.45

USE //