X

#450209 (1)

1/4 Corner Center 2. Hi Forest 104-15.

6-1877 Hunter P320 No 314 L2. Samuel Saulsberry, Julius Prebe.
set marked stake at true inters lines.
-16 west set marked stake M & L 20.01 1/2. S 89° E
-16 south set stake M & L 19.99 1/4 N 1° E.
-16 Center SW 1/4 2 set stake M & L 20.00 on E-W 1/16 line

6-1895 H Fraser P637 No 574 L2. Carl Battcher, A Wilmott
found boulder stone which had been put in place & stake
as set by Hunter in survey P 320 "a guess".
-16 west found Hunters stake, set iron pump handle in its place M & L 19.98 1/2.
-16 east set 5 x 5 x 20 stone M & L 20.31
(1340.96'

over)

5-1940 Co Hwy Dept B 109 P 76 found stone & stake.
corner is PI S 6° 22' Lt going east. meas west 2639.5
stone monument 2x2 wood hub rises meas east 2679.7
1½" pipe found be ℄ 33.1. Hub ℄ - 8' E of fence 62.84
Hub SW - 44' apart - 75.98
90.84
Hub NW 124.0
NW corner lowest step school house NW

R 1340.46

-16 east found stone monument set ¾" iron rod rises 339.9
spike 18" maple. ℄ 35.85 gone 1979
" tele pole. NE 68.5 gone 1979

8-1967 New ties to center 2 104-15 set ⅜" reinf rod rises
Dive PP SE 55.6 - Dive bp cor post NE 54.08

-16 west pump handle corner ⅜" rod rises
Hub SE 85.68 - Hub ℄ 66.0 - (54.75 apart - these 2 hubs)
Hub SW 90.12 (this hub lies 61.8 west of hub south.
2 pipes N-S 33.0' meas from east 1319.75 very near N&L
- ℄ road as built 3.2' north of Pheadle.

#450209 (2)

B109 P11.- Card # 2 Center 2 Hi For. 104-15

Corner as found. is 1.8'S.of road alignment.

-1/16 meat is 3.2' south of ℄ road alignment.

-1/16 east road alignment is 16.0' south of 1/16 corner.

at 1/4 1-2 road alignment is 8.7 south of 1/4 corner.

road back on true alignment 1250± east of 1/4 1-2.

C.H.D. 1925 Book #38 page 77 shows stone in place.

1979 Remon. BK. Pages 59, 76, 77

Page 59 found 3/4" rod ——— So of ℄ 5-17-79 Used as t.p.

Page 76 5-31-79 Dug with the backhoe over the 3/4" rod used as a transit pt. We found a 6"x6"x18" pointed boulder

3' deep with a stake on the North side and two 1"x 2" hubs and a 8" diameter boulder over it .35 South and 1.07 East of the rod. Set the stake on the South side of the boulder, a 3/4" X 12" pointed iron on the West side, a 12" diameter boulder on the top West side, and a 8" diameter boulder on the top East side and piled blacktop around it. Drove a 1" sq X 35" square iron pipe at the road surface over the stone.

1/16th East

1979 Ramm. BK., Pages 60,68

Page 60 5-17-79 Dipped line, found nothing

Page 68 5-24-79 Dug with backhoe M&L Cent. 2 to pipe found at 1/4 Cor 1-2. Point came on N. shoulder of road. Found remaining 12" of 5"x 5" stone recorded by W. From 2' deep, 15' N & dug in line with fence N. Set a 3/4"x 2' iron on the East side bent over the stone. Comm 13.2 N and .2 E of T.P.

LRP } Nail ESE 8.9
C.N. S 13.2