1964 Co Hwy Dept set C/M over stone by Fraser.

#450406

1/4 corner 4-5 Hi Forest 104-15 (1)

6-1878 Hunter P351 No 343 S4 John Wilmott found marked 1/4 post at corner of fence. set unrecorded. survey 6-14-1875 for Michael Eichstaat

-16 east set marked stake M & L. 20.01 1/2.

10-1894 H Fraser. P584 No 533 S4. W & C Roeder. found remains of old post and stake in road. P351. (on center road) drove new stake & set stone 2x9x18.

-16 north drove stake on line 20.05 1/2 chs 19.91 1/2.

-16 south. " " M & L 20.16 1/2.

-16 east found stake M & L 20.02. proved on true 1/4 line set boulder stone by its side.

6-1898 W Fraser P 633 no 572 L 5 L Eichstadt, Tom Ragen.
found corner described. P 584.
- meas north 39.96 1/2 - south 40.33.

1940 Co Hwy Dept. found stone and stake set 3/4" iron rod. drove 1/2" pipe in stake hole

---

1964 B283 - " " rod set C I M over stone.
meas west 2637.93 east 2644.3
Dec 24" oak N 72.2.
" " S.S.E 73.53.
" power pole. W.S.W. 72.09

5-1940 tie B 109 P4. stone 3/4" Reinf rod set.
Hub north between oak tree & fence. N. 72.58 - transit line
" south 1 1/2' west of fence S. 74.24
Meas west 2637.8 to center 5 - meas east 2644.7 to center 4.

#450406 #2

HI FOREST ¼ CORNER 4-5
Gov't Notes Ball 1853
40.00 Set ¼ section post. Made mound with trench & pits. Wich were 8lks. in length. east and drove charred stake in center and planted osage orange seeds in S.E. corner.

#450406 (3)

1964

1/4 corner 4-5 Hi Forest 104-15
stone set by W Fraser over stake found by Hunter
C/M set by County over stone

Dec	24" oak	N	72.2
"	"	SSE	73.52
"	power pole	WSW	72.09

6/14/88 FD CIM IN GOOD COND. SET 60d SPIKE
RISER AT SURFACE OF CO. ROAD ± 6 LOCALS S 1.12'
E 1.26'

450406

¼ 4-5 104-15 High Forest

Fd 60d spike set 1988 over 5/8" Iron

Set Ref pipe South of Corner 26'

South of ℄ CR# 3 & 60' east of ℄ Fld Dr.

TC Ref pipe

To ¼ Cor 4-5 (60d over CIM)

VA 88° 48' 36"

Slope 60.315 Hor 60.30

Continued

(25) (450406) 1/4 4-5

TC Ref pipe

4Rt PK in P.P # 53032 (1st pole West of Corner so. side CR #3) to 1/4 Cor 4-5

76°17'16"	78°50'20"
0°01'50"	2°34'58"
76°15'26"	76°15'22"

5-28-99

Continued

(23) (450406) f 1/4 4-5

TC Ref pipe

RT PK in P.P # 53032 (1st pole west of Corner so. side CR #3) to 1/4 Cor 4-5

76° 17' 16"	78° 50' 20"
0° 01' 50"	2° 34' 58"
76° 15' 26"	76 15' 22"