X

#450408 (1)

1/4 corner north 1/4 4 Hi Forest 104-15
6-1878 Hunter P351 no 343 S4 John Wilmott
Corner never set. established corner midway betw
section corners of Sec 4. 40.13 and on line
between set corners of "standard parallel" the
SE cor 32 105-15 (orig stake standing and
S 1/4 32. " " " " P304 no 279.

set 1/16 corners east and west stakes N & L on
standard parallel 20.06 1/2.
7-1893 Jr Fraser P521 no 487. S33. 105-15. C Roeder.
found stake P351. replaced with boulder. 6x8x16 in place of stake
over)

This corner (N 1/4 4) lies 4.71 1/2 (311.2) west of stone 6x6x18 set in place stake at SW 33.

10-1895 W Fraser P 584 no 533 S 4 W m; Chas Roeder. found corner P 521.

9-1935 Co Hwy Dept B 79. P. 77-79 ~~dug found nothing~~ set 2x2 stake M & L.

± 16 west found boulder and rotten stake B 79.
Cor FP E 27.8 — F Post NE 39.5 — F Post NW 39.6

Book # 75 page 78 (10-1935) C.H.D. measured 2641.2 west from N.E. Corner sec 4 (2"x4"x18") limestone fd. to north 1/4 corner of 4 and found remains of old stake on east and west fence lines.

#450408 (2)

1/4 Corner North 1/4 4 Hi Forest 104-15

1935 - C.H.D. Book # 75 page 79

Note: Found error in measurement (No. 1/4 to N.E. Cor.) Went to N.W. corner of section 4 and measured across to N.E. Cor section 4 which was 5289.6. Set 2x2 stake 1/2 way between the 2 Corners or 2644.8. Correct offsets on random line

11-16-93 Dug with backhoe in River bottom pasture for W.F. Stone fd nothing Dug 6'N & 4'S of Position of line from East & 5' East & West of 1/4 line from South 3' to 4' deep hard to tell depth of clay. Mr. Roeder said old fence ran 4' or 5' so. of fence now yrs. ago the fence now is 8' North of our line from E.

11-18-93 1/16 west of N1/4 4 104-15

Dug for T.H. stake. Dug in plowed field from 1' west to 4' east of Trav Nail & from 4' So. to 14' So. of T.N. Fd nothing would be gone in cultivation.

11-18-93 N1/4 4 104-15

After further corner explanation East & west of this Corner. We found W. Frasers 6x8x16 stone with stake on west side under the E-W Fence. There is a + Cut in top of stone. Set Post & Sign 1' North. Will set monument later.

#450408 (3)

1/4 Corner North 1/4 4 High Forest 104-15

11-19-93 set CIC/p² .26' south of W. Fraser Stone. To be on Section line between S 32-33 & S 1/4 32 105-15. The Corner is under E-W fence with Post & Sign 1' North we laid the Stone on the North side of monument under ground Surface.