1 9-28-1973 set C/M over orig stone (1)
with top part broken off to make room for C/M & iron.
cut. 3-75 #510505
section corner 5-6-7-8 Elmira 105-11.
5-21-1875 Hunter P 278 no 275 & 6 Jim Halloran.
plat shows stone 2x8x30
meas west 40.04 to 1/4 stone set place stake.

5-23-1875 Hunter P 279 no 276 & 8 Julius Hackenbacker.
plat shows stone 3x8x30
meas south 40 chs east 40.04. line & N 55' W

10-1897 W Fraser P 610 no 555 & 7-8 C. Krouse.
found stone P 279 in place.
1/16 east - set iron stake M&L. 20.01½.
1/16 west - set stone 5x18x20 M&L 20.00.
over)

1/16 south set stone 5 x 12 x 22 M & L. 20.00 3/4.
on setting this 1/16 stone found iron stake driven by Hunter.
10-14-1886 in survey for School Dist 57 checked O.K.

1/16 Center NE 1/4 7. found Hunters stake - replaced with new one
also stakes every 5 chains east & north of above center NE 1/4 7

1/16 Center NW 1/4 8 drove stake well down with 3 x 6 x 17 stone
on top at inters lines. - set stakes every 5 chains south
and west for fencing.

Lee Card # 2

Card # 5-6-7-8 Elmira 105-11. #510506 (2)
9-28-73 Meas from 1/4 7-8 north over
1/16 stone about 1322' ± with 300' tape.
found 1/16 stone at above meas ± and easily
found. full sized 3 x 8 x 30" stone at near this
meas and very near line. stone top quite
shallow so broke off part of stone to accom-
the C/M. drove iron beside balance of stone
balance of stone near lower stone and C/M.

over RPs.

61.1 NW to Conc. nail on SW side PP # 42383
up 2'.

86.05 NNW To E side tele cable metal post.

65.78 NE to bottle cap E side tele pole.

Corner 2' E center N-S road.

Corner near center road E

- fence running west (property line) bus some south.

GOV. NOTES - 1953 - WM. A. JONES

SET SECTION CORNER POST 80.00 chs

7" burr oak S 42° W 325 LKS (214.5')

6" " " N 85° W 258 LKS (170.28')

SEC COR 5-6-7-8, ELMIRA, 105-11 #510505 (3)

7-8-96 Fd CIM in good condition 3" deep in Crushed Rock 150th Ave SE.