/ 9-24-73 set C/M. ones stone found cut. 3-7
section corner west 6-7 Elmira 105-11
east 1-12 Orion 105-12
#510605

7-1856 Hunter P 13 no 20 & 1
used corner. meas north 39.88 (2632.08

5-1875 Hunter P 278 no 275 & 6. Jim Halloran.
found orig corner standing and LEBT. others gone.
meas to B tree 529 the mean of 503 the dist meas to 1/4 cor
such that placed stone 2" x 0/12 x 23" set old stake
by side. Halloran and others claim stake same as 12 yrs before.
meas north 40.08 N 1°48'W 2645.28
" south 40.07 2644.62.
" east 39.18 N 88°35'E 2585.88 (ones)

5-1880 John Fraser. P 367 No 358 L7 d. McElderry.
used corner to set 1/16 east no meas etc.

9-24-73 dug in center and west side town line road and line & fences east and west which vary nearly 4'. found stake and 18" & 23" stone recorded left nearly vertical - set 10" & base & stone in orig place with 5/8" rod on E side and piece & stone on all other sides place C/M over stone Corner line & fence east and 4' south & fence west
60' due E to 5/8"x13" rod. 8" N & fence wire running E driven flush with sod. No other possible RPs.

Gov't Notes: Sept 1853 - Set Post Dug trench
B.T. - Burr oak 6" 59°E 503 links - Blk oak 6" N68°E 359 links

CARD #2 Sec corner West 6-7 Elmira 105-11 (2)
East 1-12 Orion 105-12
7-31-96 Fd CIM in & CR #136 & 3' So #510605
of fence line west & in line of fence East.
6" deep in Crushed Rock Road.

"510605" D 12-17-98 91

W SEC COR 6-7 105-11 ELMIRA
E SEC COR 1-12 105-12 ORION
FOUND CIM IN GOOD CONDITION DOWN 0.6'
IN ℄ OF N-S CR #136. IN LINE OF FENCE
EAST & 1' S OF FENCE WEST.