9-24-73 found recorded limestone 8' deep.
9-28-73 set CIM ore 3/4" x 4' pipe

Cut 3-75
#5106606

1/4 corner west 1/4 6 Elmira 105-11
east 1/4 1 Arion 105-12

1856 Hunter P 13 no 20 S1 3 links S 55 1/4 E (S 95 links) tree S 10 1/2 W 128 links)
used corner - meas west 20.08 - 20.08. (1325.28
meas south 39.88 (2632.08

5-1875 Hunter P 278 no 275 S6 Jim Halloran.
found remains orig stake 2 rods east of west road fence in road. B T s grubbed out. set stake 2" x 0/18 x 28
1/16 east set stake gont meas 19.08 then 19.87 to center 6.
at N 89°45'E 1259.28 1311.42.
meas south. 40.08 at N 1°48'W. (2645.28

9-24-73. dug in line fence west and Center road east. dug 9' deep 8' long 6' wide found nothing.
- Meas Center road east to large corner post at Center & set inter lines in 1875 survey found 1/16 fence southeast 9' further than record 1259.28. Cont meas east, found N-S fence at. about 10' further than record. 1311.42. or 2571.70 R.
- dug much further east and found exact record stone. by undermining under N E corner 9' deep excavation with 8' of super hard old road layers above stone. drove irons on 2 sides and broke glass.
Corner. 9' E of E road. 3' N of line fence west. 80.0 W to 1" x 2' soled iron driven flush 1' N fence W 125.85 NNW to punch hole with cone nail driven into hole on top center west end. 3' Culv. in road north.

SETC/M 9-26

1/4 Cor. - West 1/4 6 elmira 105-11 Card #2
East 1/4 1 Orion 105-12 #510606

Gov't Notes: Sept. 1853

N. 40.00 Chains - Set Post for Qr. Sec. Corner

B.T.'s Burr Oak 6" S 40° W 146 links
Burr Oak 8" N 1° E 175 "

7-31-96 Fd CIM on East Edge of CR #136 1½' North of fence west The corner is down 8".