X. ~~-11-25-1961 set C I M at old ground~~ #511105 #1
9-9-75 Set C.I.M.
section corner 10-11-14-15 Elmira 105-11.

4-1878. Hunter P 339-no 333 L 15 Wm Gardner clad.
found remains old stake by B tree marks. SW, standing plain.
set stone 3½ x 9 x 20 in to place. stump
1/16 south - set stone 2x7x16 M & L. 19.96½.
Meas west 40.05 to stone placed this survey at stake set.

4-1892 Chas Fraser P 477 no 456 L 10-11 Wabg, Farrier
Con dist find above stone at first. run line 1 mile W - 1 mile L
1 mile east ½ mile west. Mr Ketlam whose yard adjoins
corner found stone answering description. it came. 14 3/4 chs east
and 18½ chs north & prop meas. a B tree remains angled by
Ketlam as SW B tree brought corner 14 chs W & 4 chs N south & stone

but as Hunter found stake by a tree B T and set stone answering description took stone as corner.
1/16 north set stone 10 x 11 and glass below 19.88 N & L.
Meas. west to stone by Hunter 40.04 3/4 checking corner

1935 Co Hwy Dept Book 85 P 13. 141.4 E of road PI
found limestone & small boulders around it placed 1/2" riser.
12" pine west - 76.8 — 36" maple 64.8

11-25-1961 Co Hwy Dept set C/M over above.
Disc - tel pole NE 59.22
" - Cor Fost NW 53.7.
" " " " SW 53.06.
" stone enter SE 1/4 S10 found. B 85 P 10 1936 Co HD.
1/16

#511105 # 2

Section Corner 10-11-14-15 Elmira 105-11

9-9-75 Dug 5'x5' to clay at corner location. Found only dark spot in clay and some wood pieces which were possibly old corner post. Set corner by line and measure of 1/16 N and Section Cor 2-3-10-11

R.P. C5D E. side of pp #2472 NNW 92.2
Corner lies in cultivated field N. of Hwy 30.

Govt Notes
Set Sec Cor post at 80 chs.
14" burr Oak S 5 1/2° E. 803 lks (530')
8" Red Oak S 10 1/2° W 580 lks. (382.8')

"511105" D 9-18-98

Sec Cor 10-11-14-15 105-11 E limb
fd. GTM in good Condition 15
deep in Corn Field
R.P. CCP #30 S.W. 80 1/2'