1 11-5-1968 set CIM over 1¼ x 18" pipe glass-form in clay where stone might have been. ①

7-8-76 "Correction of corner" CIM #511604

¼ Corner 16 - 21 Elmira 105 - 11

4-25-1878 Hunter P 338 no 332 L 21 John Gardner.
found stone center road BT's gone "root and branch".
found corner 75 links west of Midway. 39.35 - 40.84

1/16 east set stake N & W 20.42 N 89½° E

11-5-68 J Kerr. run aerial line from large corner post at B to 1 P 28 B Schoenfelder
SE 16, dug extensively by hand in area line fences N & S
found print in clay on line fence N & S. on aerial line.
natural soil 4" below road top on S side, 2' above on N side
clay down 30" not possible stone could have survived
(over)

drove 1¼ x 18" pipe in indentation in clay 3" x 10" (not gopher mark) set CIM over pipe broke much glass in area.
- top of heavy angle steel cor post of fence south 22.22.
- edge of heavy angle " " " fence running North 31.5
- disc in power pole. #2283 SE side NE 32.3.
- corner lies exact line fences N & S
" " 2' north center traveled road E & W.

Govt Notes
Set ¼ sec. post m+L 40.07½ - Dug trench
5" Burr Oak N 59° E 245 lks (161.7')

7-8-1976 Dug E. of Kerr's CIM. after finding NE 21.
Found 2" x 9/11" x 18" limestone (broken) 2' deep 4.5' E
and 4.6' S of Kerr's CIM (removed). Found stake

1/4 Corner 16-21 Elmmic 105-11 (2)
#511604

remains on the N. side of the stone. Drive iron in stake hole and reset stone along side. Set CIM over iron. Corner 2½' S of ℄ E-W road and 5' E of fence N+S.

R.P.'s: Old disc in SE side of pp# 2283 NE 33.03
Spike and CSD SW side blazed 30" Maple NW 109.82
Edge heavy angle iron corner post to fence S. SW 18.19

6-11-1982 RWB - visited corner site, road being regraded starting ±300' East and going East
The 3 Ties are sufficient at the present time
TOOK 3 pictures - from E - N - S