1 [redacted]

#512306 (1)

1/4 Corner 22-23 Elmira 105-11.

6-1873 Hunter P230 No 233 S22-23 Fry-O Terry
Jennings et al.

Corner gone for years. run direct line set
stake M & L 40.05 1/4 S 1°5' E
1/16 north set temp stake 20.02 3/4 M & L 1321.81
1/16 south set " " " "
1/16 west set stake M & L 19.94. S 88°32' W. 1316.0
1/16 east set stone 5x10x16 M & L. 19.99 1/2 1319.66

Gov't notes: set post & stone 23"x8"x3" mound & pits

See T. Hunter Bk 5 P. 56 4-1878 Sec. 22. W. Gardner.

1/16W (7-11-76) Found 2½" x 9" x 18" limestone on SE side of corner post to fence N-S E-W. Possible corner stone

7-12-76 Dug to clay from 2' S to 3' N of E-W fence and from 1' E to 3' W of T.H. measure from corner post at 1/16W. Found nothing. Line from Center 22 over 1/16 E came appox 2' N of fence

7-25-85 1/16 East: Dug from 4' West of the t.n. (set in the ℄ of the N-S road and in line of fe. West), West 4', North 4', South 4' by 7½' deep to clay. Probd stone in E. wall of hole. Stone 5x10x16 as described by Hunter. Top of stone 6.7 deep and in hard layer that is probably the remains of the oldest road. Set a ½" rod by the stone and

1/4 Corner 22-23 Elmira 105-11 (2)
#512306

7-25-85, 1/10 East Cont. & piece of limestone around bottom. Stone approx 3.11 West and 1.25 South of the t.n. LRP } NE 3.35 (t.n) N 8.73

9/1/89 DUG TO COVER FULL T. HUNTER 1873 MEASURE EAST & WEST. EAST TO STONE FD 1985 AND WEST TO STONE @ 1/16TH AND CEN. SEC 22 C.P. & 1/4 COR 21, 22 (CIM) ALSO WORKING N-S SECTION LINE STRAIGHT BY T.H. DUG 5' E-W BY 2½' N-S THERE IS NO LONGER ANY E-W FENCE HERE AS THERE WAS IN 1976 WHEN WE DUG HERE BEFORE WE DUG 1½' DEEP TO CLAY (FD NOTHING)

by GBB

8/22/97 1/4 Cor 22-23 Needed Center 22 For survey in NW1/4 V so set corner on line From W1/4 Cor 22 over stone Fd at 1/16 E of Cen 22 For N-S. E-W to be Finalized later.