X 6-29-76 Set pipe over drill steel

#512905 (1)

section corner 29- 30- 31- 32 Elmira 105-11

4-19-1878 T. Hunter Bk 5 No. 330½ set Stone from Witness tree

11-1894 H Fraser P 559 no 514 S30 E Lambert, J McCully

found stone put by Hunter in unrecorded survey 4-19-1878 for J. Laird S 29. claiming replaced orig stake with stone. all trees standing but did not agree but as Hunter found stake left as is. B Trees would not center point at any one spot.

Old B Trees re witnessed

N 2¼° W - 126 L — S 2½° E 192 L S 2½° W 223 L.

N 14° E 10" B.O 126 L. S 3½° E 196 8" B.O S 3½ W 227 L. 8" B.O

N 89° W 238 L.

N 89° W 238 L.

6" B.O

3- 1938 J Kerr B12 P51 S32 Co H Dept
found stake after extensive digging set drill rod. with
Co book 104 P 4 to 6 1938 - found lower 15" of
boulder over top, old stake with axe marks plain. set 36" drill
steel with boulder on top 25x12x6 with notch cut in top. see below R/S
P37 Meas N 1936 5270.

1936 Co Hwy Dept B81 - B104
old stake 4' east fence corner

5-1901 W Fraser. P12B S31 M Fowler
found stone as corner.
Meas west 40.09 3/4. to stake drove on line & BT meas.
1969. Sanborn found corner as 3-1932 38? 10" east of fence south.
R. Patno 22" burr oak blaze d ab root SE 40.1
18" " " " NE 55.5
Meas south 2647.7 2632.48 " east 2639.5 (2641.25)
Steel FP NW 12.1 - Steel FP SW 7.75

#512905 (2) 105-11

Card # 2 section corner 29-30-31-32 Elmira
B295 Co Ht D. 1964 found stone.
Run line south. 2637.66 to stone in place.
Meas south to d new road on section line 1037.59

June 1973 Jankstone & Taylor.
found 1" steel rod under boulder (used rod as Corner)
Corner now about 10'-15' East of N-S fence and
in line fence going West
Meas. by E.T.C. - West 2645.62
South 2636.24

Gov't Notes
Set sec Cor. post 80 chs.

10" Burr	Oak	N 14° E	126 lks
6" "	"	N 89° W	238 lks
8" "	"	S 3½° E	196 lks
8" "	"	S 3½° W	227 lks

6-29-76 Found drill steel under boulder as recorded by J.K. Removed boulder and drove a light 1¼" x 26" pipe over the drill steel (up 4"). Lay boulder along side of pipe. Corner in line with ~~fence~~ fence W and 15'E of N-S fence

R.P's: Spike and CSD NW side of blazed 24" Burr Oak NE 88.43

Spike and CSD S. side blazed 16" Burr Oak ESE 77.50

Spike in S.W. side 17" Burr Oak SE 92.27 (slope)

Spike and CSD N. side corner post to fence W-N-S W 15.05