/ 9/7/88 SET C.C/P² M & L #520104 (1)

¼ corner 1-12 Orion 105-12.
4-1856 Hunter P13 no 20 & /
used corner — 1/16 west - referenced 19.83 M & L N 89°20 E
1/16 north - referenced. 19.74 M & L. N 1° W
1/16 center SW¼ / 19.48 M & L N-S 1/16 line N 50° E
east 19.72 N 89° E to 1/16 cor on ¼ line.
1/16 center SE¼ / referenced 19.80 north N ½° W to 1/16
cor on E W ¼ line.
west 19.94. N 88 ¾° E to 1/16 on N-S ¼ line
(over)

2-1867 Horton P83 no 123. ℓ 12.

1/16 east & west 20.02 M & L

1/16 south 20.08 M & L

1/16 center NW 1/4 12. 20.04 M & L on ~~N-S~~ 1/16 line N1°10'E

1/16 center NE 1/4 12 19.98 M & L on E-W 1/16 line N89°7'E

20.06 M & L on. E-W 1/16 line. N89°7'E

20.12 M & L on N-S 1/16 line S1°33'E

~~Gov. C. 1853~~

Gov. Notes - ~~Oct~~ Sept 1853

WEST ON TRUE LINE BETWEEN SECTION 1+12

VAR 10° E

40.10 SET GR. SECTION POST

BR. OAK 6S 84 E 58

W. OAK 8 N89W 49

80.20 TO SECTION CORNER

1/4 CORNER 1,12 ORION 105-12 #520104 (2)

8/2/88 DUG FROM 23' SOUTH TO 34' SOUTH OF FENCE INT. AT LARGE OAK TREE & 2' EAST OF (FENCE LINE / 1/4 LINE) PROJECTED FROM NORTH IN SEC. 1 TO 8' WEST OF LINE FROM NORTH 2' DEEP TO CLAY (FD. NOTHING)

8/10/88 DUG FROM 8' WEST OF LINE TO 11 1/2 WEST OF LINE AT SAME N & S OF PREVIOUS DIGGING (FD NOTHING)

9/7/88 AFTER SETTING UP THE MIDWAY AND ON LINE PT. WE DUG FURTHER 4' NORTH & 4' WEST OF THIS PT EXTENDING OUR PREVIOUS DIGGING (FD NOTHING) SET C.I.C. 1/2" M & L, THIS CORNER MATCHES H. HORTON POSITION AND SEEMS TO BEST FIT T. HUNTER 1856. WORK IN SECTION 1 EVEN THOUGH IT FALLS OFF THE FENCE LINES PRESENT TODAY.

RP's

SPIKE & C.S.D. IN 8" BUTHERNUT S.W. 7.0'
SPIKE & C.S.D IN 18" WHITE OAK N.N.E. 26.8'
THE CORNER IS ± 24' SOUTH OF FENCE EAST AND ± 13' WEST OF U-S FENCE