/ 9/1/88 SET C.I.C. / P²

#520105 (1)

section corner 1-2-11-12 Orion 105-12

4-1856 Hunter P 13 no 20 L 1

used corner-

1/16 east 19.83 M & L. N 89° 20' E

N 59° E 54 lks — S 33½° E 56 lks.

2-1867 Horton P 82 no 123 L 12.

used corner-

1/16 east 20.02 M & L —

1/16 south 20.00 M & L — S 45° W 24 lks.

5-1877 Hunter P 311 no 305 L 11 Hopkins

found orig corner - tested B tree stumps (over)

1/16 south - set stone 2 x 10 x 37 M & L 20.07 3/4 N 1° W

1/16 center NE 1/4 11 - drove stake 19.93 1/2 M & L on E-W 1/16 line N 89 3/4° E

5-1903 Armstrong P50B & 11-12-13-14 Jurake. F Halloran found stone at 1/16 cor south P311 by Hunter. T Moore. near south 20.06 each 80 rods to & E 11.

No mention of setting point at 1/4 11-12. in passing it.

Gov't notes: Wm Jones Sept. 1853 80.00 ch. set post B.T. Br. oak 14" S 1 3/4° W 295 lks = NH 7
Br. oak 6" S 26 E 180 lks. — Set stone 6"x4"x2" + dug Trench
6/12/88 118.80
1/16 CORNER SOUTH OF SEC COR. 1,12,11,12 105-12 FD RECORDED STONE 2x10x37 ON E SIDE OF RR. TIE CORNER POST, LEANING BADLY TO NE DUE TO COR. POST; BOTTOM OF STONE 1' SHOT BOTTOM OF STONE

SECTION CORNER 1, 2, 11, 12 ORDN 105-12 #520105 (2)

7/29/88 DUG AT COMPUTED LOCATION OF S.E. 11 OVER 1/16TH NORTH OF 1/4 COR 11, 12 AS SET BY T. HUNTER, DUG 8' NORTH, 8' SOUTH, 3' EAST, & 3' WEST OF COMPUTED LOCATION, USED BACKHOE (FD NOTHING)

8/4/88 DUG AN ADDITIONAL 5' OFF OF EAST SIDE OF DIGGING (FD NOTHING)

9/1/88 SET C.I.C./p^2 ON LINE AND PROPORTIONATE MEASURE FROM SEC. COR. 11, 12, 13, 14 OVER THE 1/16TH STONE SOUTH OF THIS SEC CORNER FD 6/12/88

RP's SPIKE & C.S.D. IN 9" BURR OAK S0.50.32'
CENTER OF CREEK RUNNING N1/4 WEST ± 74'