1 6-27-1968 set C/M. over iron & stone pieces (1)

section corner 5-6-7-8 Orion #526505 10 5-12

7-1876 Hunter P 302 no 297 S6 & Neal
found stake center of crossroads accepted by John Campion and others as true corner. Partly destroyed mark on B Tree placed corner 6 links from stake, meas placed corner a stake. Explanation of how tree was blazed cleared up matter and corner stake accepted.
– meas north 39.96 lone & prog meas then 38.01 to town line

11-1877 Hunter P 325 no 319. S7 John Fitzpatrick etal.
found stake P 302. set stone 25 x 3 x △ 20"
– meas south 39.92 S 55' E to stone set.
– meas west 39.97 to stone set.

(over)

4-1909 Armstrong P 116 B. S 7-18 Iron Board.
found stone P 32 S - Burr oak 15" S 26° E 48 lks.
- Meas South 39.90 to limestone found. S 2° W.

4-26-68 J Kerr dug extensively on above witness Tree,
road eroded to bed rock - level land - no reason for erosion.
On pushing line in from south indicates a 14' error somewhere.
Will dig again at W 1/4 8 further west.
4-27 return & meas entire mile after finding 1/4 7-8
found bottom half recorded stone in good shape.
Meas south to 1/4 cor found 2633.0 then 2633.4 to cor
RPs. Nail in west side witness tree above. S 26° E 38.85'
tele bell top center by PP NW 43.5'
Pine power pole 16490 SE 42.4
Corner lies near center road south.
" " .2' ± north center EW road.

SECTION CORNER 5-6-7-8 ORION 10S-1E #520505 (2)

GOV. NOTES - Oct 6, 1853 WILLIAM JONES

North between sections 7 & 8

80.00 chs Set post corner to sect 5-6-7-8

BURR OAK 8 S 21 W 127

BURR OAK 8 S 12 E 115

" " 6 N 62 E 54

" " 5 N 72 W 64