1 6-25-1968 set C/M over drg stone #520806 (1)

¼ corner 7-8 Orion 10 5-12

11-1877 Hunter P325 No 319 Lt John Fitzpatrick etal

corner gone no evidence by digging, B trees gone, no knowledge of corner by any settlers due to where it stood.

set stone 2 x 9 x 25 N & L 39.92 L 55' E

1/16 south set stake N & L 19.96 "

Bearing to ¼ line west L 88¼ W.

4-1909 Armstrong P116B. L 7-18 Town Board.

found stone as recorded. 14" blackoak N 38° W 51 links

and 8" double burr oak L 55° E 30 links.

- meas north 39.90 L 2' N to stone

- " south 39.88 " iron bolt (referenced)(over)

6-1890 T Fraser P452 No 436 S8 J Campion
found stone set by Hunter P325 1877.
-1/16 east set stone M & L to center (a boulder 5 x 6 x 20 -
No mear or desc of stone

4-28-1968 J Kerr found Center Sec 8 and 1/16 stone 1313.4
east of center stone. pushed line west & doubled distance
corner came in center of 18" galv culv of farm drive set ½" rod.
Pine 14" E SE 57.5 — 14" wire enroged Beak in fence W 402 (Hub)
20" burr oak NNW 66.1 nail in hub.-

Note this corner set M & L P325 but on projecting line to NW cor 8 (gone but definate witness tree in place) it appears to be at least 7' too far east which would center road & be better. present corner definately incorrect regardless of 1/16 stone.

1

second card for 1/4 cor 7-8 Orion 105-12

#520806

6-25-68 dug again found recorded stone in perfect shape exactly 9.98½' west of previous corner set for farm survey

set stone lower with C & M above

- center 14" pine north of driveway ESE 67.4
- hub-nail in 14" burr oak wired by fence W 32.22
- " " " 20" " " NNW 61.1
- center pine in center yard SE 133.5
- SW corner main house SE 174.0

corner lies in center N & S road in line good fence running west

3-31-78 Dug down with the jackhammer to Kerr C.I.M
Set a new C.I.M. over Kerr and up to the road surface. Comes 3½'S of E-W fence and 4½' E of the ℄ of the N-S road.

R.P.'s: Spike & C.S.D N side (up 5') 17" Blazed Bur Oak WNW 44.88

CSD S side of pp # 41216 SW 128.33

Spike N side 17" Pine ESE 67.20

Punch hole top center S. End CMP to driveway East SE 36.38

1/4 CORNER 7-8 ORION 105-12 #520806 (3)

GUV NOTES Oct 6, 1855

North between sections 7+8 [redacted]

VAR 10° 25' E

40 00 SET POST AT QR SECTION CORNER
BR OAK 6 N 1/4 E 55
BR. OAK 6 S 34 W 78