#529906 (1)

/ 9-23-68 set C/M over 8" rod on stellrock

Check This Corner (Line should be run from West) RB.

1/4 corner 8-9 Orion 10 5-12

6-1891 2hoz Fraser P452 no 436 & 8 James Campion

no corner in evidence. Hunter had been here and a line blazed agreed quite well with 1/4 the distance from 1/4 16-17 To ~~and~~ 1/4 4-5 (a stone) 2640 1/2 E.K. 2640.2 each 1/2 mile. (recorded stak) set stake and measure but not on transit line for purpose of setting center section.

9-23-68 set C/M on 2 mile section line and corp distance after measuring line in august and again when line run. - did not dig or search for corner common land both sides.

Hunter 1879 over

(over)

Measure 2 mile, record 10463.0
actual 10458±
set corner 2638.7± from SE cor 8
- corner lies west of east edge traveled road 1.5'
" " east of center " " 7.0'
" " 75.0 south of center field road west
" " 24.0 west of fence line east running N&S.
" " 629'± south of huge burr oak (a lone tree) on east side road measuring from center road opposite tree.

Tom Hunter Survey Book # 5 page 74 March 1879
Unrecorded Survey of section 8 Corner set M&L
39.97

1/4 CORNER 8-9 ORION 105-12 #520906 (2)

GOV. NOTES - Oct 6, 1853
NORTH BETWEEN SECTIONS 8 + 9
VAR 10° 18' E
40.00 SET ~~8~~. section post LEVEL
DR. OAK 7N 35W 8L
BR. OAK 5 9 14 C 118

1/4 COR 8-9 105-12 ORION (520906) 12-9-98
FOUND CIM DOWN 1.0' IN GOOD D EPA JJ
CONDITION 1.1/2' W OF EAST EDGE ROAD
CORNER FALLS IN LINE OF FENCE WEST AND
8 1/2' E OF ℄ N-S CR 129. 75' S OF ℄ FIELD
ENTRANCE WEST.