1/4 X-Set CI Cap in Pipe
CORNER 9-10 ORION 105-12 4-30-1980 #521006

Note
Creek
3:50 N.

GOV. NOTES

OCT 6, 1853

NORTH BETWEEN SECTIONS 9 10
VAR 10° 40' E
5.00 BROOK 4 LKS WIDE RUNS E of South d 30
30.00 Top of Ridge A 100
40.00 SET gr. SECTION post d 60
BR. OAK 6 S 77 W 120 = 79.2' } Both B.T.'s
BR. OAK 8 N 32½ E 20 = 13.2' } Gone 4-16-1980
43.50 BROOK 5 LKS. WIDE RUNS East d 25 R WB
57.10 BR. OAK 10 IN. DIAMETER A 45
60.00 Enter grubby LAND

4-30-1980 Co. Surv.. dug 5'x10' hole 2' deep To yellow clay found one Spot, a dark spot about 4" dia. running down into yellow soil 6" To 8" did not find anything else except gopher diggings. Accepted this dark spot as Corner location and placed a CI cap in 2' long Section of Sq. Pipe.

(over)

This dark spot location fit the line from the West, from W'ly 9 over 1/16 post E. of Cen. 9 but not distance, double from Center 9 (computed) over same 1/16 post would fall 4'-5' West of dark spot, but fence line from North from NE. 9 over the 1/16 So. of it (Cemetery corner) falls exactly on this dark spot. the 1/16 from So. does not fit as there used To be an old road along this N-S section line the 1/16 So. post is about 12' West of line and also 2' So. of Correct 1/16 Corner using the dark spot. Dark spot also lines with slight hump of remains of old fence line running East (no fence remaining now)
Accepted dark spot as Corner Location and set mons. Mons. lies 7' East of N-S fence and 210' South of So. edge of Small creek running East.
Spk and C.S.D. in 30" Blazed Bur Oak - ENE - 116.6
Spk and C.S.D. in 22" Blazed Bur Oak in fence - S.W. - 18.05
on Bur Oak S.W. placed survey marker sign about 5' high.

12-9-98

✓(521006) E 1/4 COR 9-10 105-12 ORIGN FOUND CIC/PZ IN GOOD CONDITION AT SURFACE. BUR OAK ENE DOWN. JUST 6' STILL STANDING. SIGN NO LONGER ON BUR OAK SW. STEEL 'T' POST 1/2' NNW. CORNER FALLS 7' EAST OF N-S FENCE.