X 10-6-76 CJM. #521205 (#1)

section corner 11-12-13-14. Orion 105-12.
5-1875 Hunter P277 no 274 S13 Runderknecht, etal
found old stake remains after Meas 1 mile each and
1 mile south, set stone 4 x 11 x 20 in its place.
Meas east to 1/4 stone set M & L 39.93½. S 88¼° W
1/16 south set stone 3 x 6 x 13 M & L. 20.05-
4" burr oak S 75° W 3 links.

Field Book A p. 46-47

26 links or inches = Field Book 4 p. 47

5-1877 Hunter P311 no 305 S 11 Hopkins etal.
found stone above.
01/16 north set temp stake 20.07¾ M & L in line NE 11.

Feb & march 1867 H.E. Horton Pg. 82 No. 123 (over)
(see Survey for breakdown of Entire Sec. 12

5-1903 Armstrong P50 B & 11-12-13-14 F Halloran Moore-Juiske

replaced corner with stone 4x14x16 in center E-W road
by pushing line from south over 1/16 corners & & E14.
1/16 south found stone 20.06 by Hanlet
1/16 center SE 1/4 11 found stone 1' south corner post.
Meas east 39.93 to stone found.
Meas west 39.81 to stone set M&L.
1/16 north. set this corner by projecting from west over
two 1/16 corner stones on this 1/16 line.
North-south measure 20.06 north and south.
a stone being north of 1/4. 11-12.

Gov't notes - Wm Jones - Sept. 1853 - set post to Corners 11-12-13-14
B.T. Br. oak 7" S 22½° W 473 lks - also Set Stone at Corner & dug Trench
Br oak 8" S 5½° W 669 lks

Section Corner 11-12-13-14 Orion #521205 105-12 (#2)

10-6-76 Dug from N. edge of E-W road S. to ℄. Found stone of East Hunter recorded size 4½' deep with possible stake hole beneath. Found 4" x 13½" x 18" stone lying over Hunter stone. Set iron on W. side and CIM head on East side and set 4" x 13½" x 12" stone over. Corner 1'± N. of ℄. Diggings approx 7' long E-W and stone found 3' from W. end. Set a ~~Hollow~~ CIM over a 4" x 8" stone.

R.P.'s CSD in Brace post NE 44.30

CSD in pp. # 17095 NW 34.85

1/16th S 10-7-76 Doubled line and measure from 1/16th E dug from this point W. to traverse point. Found nothing. Stone side hill. Bedrock 1' deep.

10/22/91 CHD took ties. Corner may be destroyed by bridge construction.

T @ P.I. Tie Sq. Rod/cap 3' West of fc running NE

4 Rt from Sec. Cor 11-12-13-14 Orion to Center

OF T.V. Tower (Middle leg) 72°30'28"

To Sec. Cor 11-12-13-14

UA $\begin{matrix} 88\ 34\ 30 \\ 271\ 25\ 42 \end{matrix}$ > 1°25'36"

Slope 89.61 Horz = 89.58

9/1/92 COUNTY SURVEYOR FD CIM IN GOOD COND RP'S 49.6' NW TO CSD IN PP # 17095 (WHICH HAD BEEN RESET) LINE OF FENCE RUNNING NE'LY EAST ± 20'