#521206

1/4 Corner 11-12 Orion 105-12
2-1867 Horton P 83 no 123 L 12.
used corner.

1/16 north -	20.00 M & L	- N 1°33' W -	S 45° W	24 lks.
1/16 east.	19.94 M & L	L 89°15' W -	S 20° W	67 lks.
1/16 south	20.04 M & L	N 1°14' W	N 66° E	60 lks
			N 10° W	50 lks.

5-1877 Hunter P 311 no 305 L 11 Hopkins.
corner came in open cult. field all B trees gone.
set temp stake 40.15½ M & L N 1° W.
1/16 north set stone 2 x 10 x 37 M & L N 1° W 20.07¾.
1/16 south set temp stake 20.07¾ M & L. N 1° W (over)
Bearing of line west N 89° 50' E.

5-1903 Armstrong P 50 B & 11-12-13-14 Jusha Halloran T Moore.

likely didn't establish corner.

Meas from dE 11 to 1/16 cor 3/4 mile north where stone set by Hunter P 311 was found.

- each 80 rods 20.06.

1/16 south set corner (likely slab) M & L 20.06.

1/16 north found stone set by Hunter P 311.

GOV NOTES - OCT 6, 1853 NORTH BETWEEN SECTIONS 11 + 12

VAR 10° E

can't determine 3.00 DRY BED OF BROOK 6 LKS WIDE d 10
RUNS S.W.

26.00 TOP OF BLUFF A 150

40.00 SET QR SECTION POST
BR. OAK 7S 2E 485
BR. OAK 6N 3W 316

79.30 BROOK 5 LKS WIDE RUNS S.E. d 140

92

12-21-98
EPA JJ BB

✓1/4 COR 11-12 105-12 ORION "521206" C
SET 2½' LONG CIC/P² DOWN 21" IN MIDDLE
OF CHISELED PLOWED BEAN ROW, CORNER FALLS
28' WEST OF EAST EDGE OF BEAN STRIP AND
75' NE OF ℄ OF FIELD WATER RUN OFF.

Set Corner as T. Hunter in
1877 and C. Armstrong 1903 surveys
M℄L between section Corners
using 1/16th stone North set by
T. H. Fd by C.A. and Fd by Co. Surv.
Crews in 1988