X CIM Set 8-15-1978 #521505 #1
10-31-95 CHO SET 1" SQ PIPE W/CAP

section corner 15-16-21-22 Orion 105-12.
5-1893 2r Fraser P506 no 476 L22. Datzark For
corner gone - F.H Zeska anera corner laye Hasty
exactly in line fence east and center road. Stamp of NE
BT placed it same place- placed stone as corner.
1/16 south drone stake 19.98 1/4 M & L. Meas to N 1/4 22 a
temp point set midway. some controversy as to line.
39.86. 15 lks north of straight line.

10-1948 J Kerr B40 P27 L22.
found corner meas south 5270.27 to corner post
recognized as corner.

(ones

Co Hwy Dept B 127 P40

3/4" steel rod. in place of limestone (now gone)

center 3" burr oak	~~SSE~~ S. of E	54.25
SW corner Orion Town Hall.	SE	118.6.

1939 CHD B105 found limestone.

Disc in tile pole SW 44.35 - Disc in PP SE 33.75

1940 B 127 P37 Meas north to fence Cor 4 ways. 5244.7

Run N-S line set 1/4 15-16 N&L 2622.35.

Disc in oak ESE 76.08

Hub 4' east of pole line NNE 100.23

GOV. NOTES - OCT - 6, 1853 - WILLIAM JONES 15-16-21-22

80.00 chs SET POST CORNER TO SECT,

BUR. OAK 8 N 58 W 345

BUR. OAK 8 S 15 W 161

BUR. OAK 7 N 26 E 176

BUR OAK 12 N 5 E ~~

BUR OAK 6 S 37 E 99

Section Corner 15-16-21-22 Orion #521505 105-12 #2

5-25-77 Dug in line with the fence East and in ℄ of the N-S road on recorded ties to school house. Found 2' crushed rock on clean clay. Area completely cut out.

1/16th So. (5-25-77) Dug with the backhoe on line from ℄ at ~~1/4~~ Cor 15-16-21-22 to the stone found at 1/4 Cor 21-22 and at W.F. measure from 1/4 Cor 21-22 Found 5/8" square by 23" iron with a nut on one end and a loop on the other end 4' deep beneath oldest road on clay. Corner 4' West ℄. Drive 1/2" x 2' rod at road surface.

R.P. CSD in N side pp #16702 ESE 37.84
CSD W side of telphone pole SW 83.55
Brass tack in blacktop on East edge of road surface SE 48.27

8-15-78 Set a CIM over a RR spike as the corner at double the line and measure of the 1/16th Sc
The corner came 1' West of ℄ and in line with the main line of the fence East.
RP's: SW corner Orion Town hall SE 118.66
CSD in N side pp # 16696 SE 40.48
CSD in E. side telephone pole SW 71.02

6-21-95 - FOUND CIM. SET 1" SA PIPE W/CAP ON ORION TOWNHALL GROUNDS 42' EAST OF ℄ CR #7 + 3½ SOUTH OF FENCE EAST.

~~T~~ @ REF PIPE

ART P.K. IN PP # 16695 (1st POLE NORTH ON E SIDE CR #7) TO SEC COR

277° 50' 43.5"

TO SEC COR 15-16-21-22 (CIM)

VA 90° 23' 52"

SLOPE 44.225 HOR 44.225

10-31-95 CHO SET 1" SA PIPE W/CAP.