1/4 CORNER. 16-21 ORION 105-12 X - Set CI cap/pipe April 1980

#521604 (1)

GOV. NOTES - OCT. 6, 1853

WEST ON TRUE LINE BETWEEN 16+21

VAR 9° 26' E

37.50 from West Spring brook 3 lks wide

40.15 SET ¼ C. SECTION post

BR. OAK 7N 21 E60
BR. OAK 7S 15W 79
} B.T.'s gone April 1980

80.30 TO SECTION CORNER

4-21-80 Set C.I. cap in square pipe about 2' long. Set this 1/4 corner after digging a little in the vicinity of the location where we set the monument (ground was still frozen under the leaves) dirt very shallow to rock, many limerock laying near ground surface and very hard to dig. Set 1/4 corner on an average of the line from the SW 16 over the

1/16 fence East of SW 16 which placed location about 2.5' South of where we put the mone., but using the 1/16 corner fence Note of this 1/4 Cor. would have placed location about 2.5 North of where we placed the monument so we used an average of these two to place 1/4 corner N-S and we used main line of fence Note to locate corner E-W which seemed to fit the 1/16 fence Note within 1.5' of the post for line. 1/4 Cor mone. lies 1' East of fence Note and 3' North of E-W fence. Placed segi post 1' West

RP's: Spike and CSD in 8" Blazed Bur Oak SW 15.27
Spike and CSD in 10" Blazed Bur Oak SW 19.76
Spike and CSD in 16" Blazed (dead) Bur Oak S10°W 42.08

1/4 Corner 16-21 Orion 105-12 (2)
#521604

RP's cont.

Spike and CSD in 4" cedar tree NE 14.89

Center of 12" Bur Oak in N-S fence N 7.7