/ 5-14-1973 set C I Mon orig stone glass etc. #521906 ①
Cont 3-6-75

1/4 Corner. West 1/4 19 Orion 10 5-12.
East 1/4 24 Pl Grove 10 5-13

9-1885 Hunter P 403 no 392. d 24 20. J Baker, H Lowrie J French.

Corner gone, B trees gone. Blaze line west and old fence set 20 yds before by a Mr Savage when corner was standing set unmarked P 50 the west corner of fence east on line fence in center road are assumed corners.
Meas north 39.77 2624.8 South 39.97 2638'

---

6-1894 W Fraser P 546 no 506 d 19-20 Lee d 1/4 20.
relocated corner as closely as possible on Hunters notes run line E 1/4 19 over cenlls and intersected with sec line on twsp. line Meas North 39.75 2623.5 south 39.90 2633.4
" brought corner on east side of road about 1 rod " unquot (over)

set limestone as corner.

1/16 south drone stake on D D & L 19.95 1316.7

1/16 east drone stake prop meas not given

---

5-14-1973 dug in Center crossroads with tractor found limestone 4"x6" tapered to bottom fully 24" long - smashed picture tube & TV over stone. drone iron rod by stone with C/M over all.

final meas N to C/M over stone 2624.24. H 2624.82 WF 2623.5

E to C/M over stone. 2631.4. H 2638.07 WF 2633.4

Corners set by Hunter & H Fraser not same but resit at different times from same general data.

Cords. 8 Pc

#521906

(2)

Card # 2. West 1/4 19. Orion 105-12.
East 1/4 24 Pl Gr 105-13

RPCIM- 44.03 NE to bottle cap on NW side new corner post of fence north.

44.68 SE to bottle cap on NE side power pole # 13237.

39.26 NW to bottle cap on SW side new tele pole with overhead lines E & S.

This pole, corner stone and power pole on near exact line Station of 1/16 fence south (running west) set

M & L 1316.7 now. 1312.7 north 1318.7 south
(2633.4) (2631.4)

Gov. Notes 1853 Ball, Dep Sur.
North between 19 and 24
40.00 Set post.

Br. Oak 10 in. S55E 100 lks.
Br. Oak 8 in. N12W 197 lks.