1 5-18-1973 found this pointed recorded limestone by C to P. drove iron by stone.

#522004

(1)

1/4 Corner. 20-29 Orion 10 5-12.

9-1879 Hunter P 363 no 354 L 29 L H Buck.
found marked stake by post & rail fence set by a surveyor. B trees gone or unidentifable so accepted corner for running N-S 1/4 line.

6-1894 H Fraser. P 546 no 506 L 19-20 - Nills al Best, LE Pattridge, A Lee, D Hering, Mc Calab, Fred Jenkins, Robert Calvalt & C Thornburgh.
Found stake P 363 set stone 2x8x25 in place of stake.
1/16 west drove stake M & L. 20.02.
1/16 east set stone 2x10x25 M & L 19.93 1315.38
1/16 north drove stake M & L 19.94. 1316.04

over.

set stakes north dividing 19.94 into 5 plots
these stake north of 1/16 cor east of S 1/4 29.
1/16 stake center SW 1/4 20 at inters lines.

4-1901. H Fraser P 2 B S 29 Barnard, Baker, Fellows.
found stone at corner post of fence.
1/16 east found stone set as corner no mear.

5-18-73 ran line from SW 20 east. (see 20-21-28-29), found recorded limestone about .6 NE of tele pole on hilltop. about 100'± NEly of dug pot hole. at station 264+08 R. 2642.64 stone very pointed and quite long. searched with backhoe for 1/16 stone 2x10x25 at 1/16 east and for iron with electronic detector. and found neither - drove small iron on E & W sides of stone. 1/16 fence west running north. may be slightly west of station at north end of fence. 1318± dug. found northeast corner at 1/16.

1/4 CORNER 20-29 ORION 105-12 #522004 (2)

GOV. NOTES - Oct 6, 1853
WEST ON TRUE LINE between SECTION 20+29
VAR 10° 30' E
39.95 SET gr SECTION post
Aspen 4 N 33 W 14
CHERRY 5-5-14 W 17
[redacted] TO SECTION CORNEL
79.90