/ 5-16-73 set C I M over huge boulder and pipe below boulder.
Corr 3-6-75
#522005 (1)

Section corner 19-20-29-30 Orion 105-12.

6-1894 W Fraser P 546 No 506 S 19-20 See S 1/4 20
corner gone, dug rod square. placed large boulder. accorner by meas.
Meas SW 19 to S 1/4 20 overrun 1/2 links
Meas SE 30 to E 1/4 19 short 62 links
Meas east & west 40.04 — north & south 39.79 2/3 2626.58
1/16 east & west drove stakes M & L 20.02. 1321.32
1/16 north set boulder stone M & L 19.89 1/2. 1313.07

4-1901 W Fraser P 2B. S 29. Barnard, Baker. Fellows
found boulder set P 546.
Meas south 39.76 to stake M & L 2624.16

(over)

5-16-73 Meas from W 19-30 over 1/4 19-30 after finding stones both places. W 1/2 line 2646.06 R 2649.9
Meas E. prop meas of 2639.02. R 2642.64 found recorded huge boulder. 16 x 18 x 26 ± which had been pushed south from vertical position. which came near exact when erected so removed and lowered well down with. 1/2"x12" iron pipe below stone and C/M above. - so set on exact line at above meas at correct proportion.
37.17. S to nail on W side Corner Post & fence S.
71.58 WNW to bottle cap and conc. nail S side tel P.
96.38 ENE to punch hole in Top Center N end 15" road culv.
178.0 E to center road running N.
7.0 S to center E-W road.
Meas E to close at 1/4 20-29 2641.08 R 2642.64 N to 1/4 19-20 2626 ± Closing record.

SECTION CORNER 19-20-29-30 ORION 105-12 (2)

NORTH BETWEEN SECTIONS 29 & 30 #522005

GOV. NOTES - OCT 6, 1853 - WILLIAM JONES

80.00 CHS SET POST CORNER TO SECT. 19-20-29-30

DEposited stone 13 in x 10 x 2