12-2-76 Set Corn — #522106 ①

1/4 corner 20 - 21 Orion 105-12

6-1894 W Fraser P546 No 506 S 19-20 see S 1/4 20

Corner & B trees gone.

set marked stake with stones on 2 sides N & L.

39.65 26 16.9 corner cums on east bank river.

15" elm N 13½° W 74 lks. on east river bank.

12" elm S 37¾° W 139½ lks. on west river bank.

– set stakes on line south 10.90 3/8 then 8.92½ to 719.65 588.80

1/16 corner 50 stake & stone. set N & L 19.82½ 1308.45

then stakes 4 times at 3.71+ then 4.95+ to SW cor 20

– west set stakes "8" as 1/16 corner at 19.92½ N & L 1315.05

with 1/64 stake N & L to center 20. Center 20 beyond E 1/4 20 set N & L

1/16th South 10-28-76 : Found 2" x 12" x 12" stone  on E side of 24" Black Oak in N-S fence line. Set ½" x 2' rod along side.

10-29-76 Found two trees which fit W.F.'s description for distance and Brg. Trees placed corner a few feet into water along E edge of river. The point came .36 W of line between NW 21 and 1/16 S of ¼ Cor 20-21 and .93 S. of prorated W.F. distance

12-2-76 Set final corner on line NW 21 to 1/16 S of of ¼ Cor 20-21 and at prorated W.F. measure. Since corner came into water in river, set CIM over ½"x2' rod 50'N on Section line (Set nothing in river)

R.P.'s to W.C. ½"x2' rod 10' E of S SSE 50.47
Spike & CSD S. side huge Black Elm ESE 39.42
Center huge Elm NE 36. River Bank W 16'

1/4 COR. 20-21 ORION 105-12 #522106 (2)

GOV. NOTES - OCT. 6, 1853

North between SECTIONS 20+21

VAR 10° 5' E

.06 STREAM 12 LKS WIDE RUNS N.E.

20.00 Top of bluff A 160

37.00 Top of perpendicular sand stone d 120

37.60 Enter dry bottom S.E. d 30

38.00 SET WITNESS CORNER to QR. SECTION CORNER

Elm 15 N 72½ W 76

MAPLE 79 10 E 92

38.50 Enter bend of RIVER d 15

42.00 LEAVE bend of RIVER A 15

57.50 ENTER RIVER 75 LKS WIDE RUNS SE.

72.00 LEAVE dry bottom S.E. A 10