10-16-78 CIM

#522204 (1)

1/4 corner 22-27 Orion 105-12

5-1893 W Fraser. P 506 no 476 d 22. Dabzark. Fox, Hasty. found stake in mound. set stone with stake by side. 1/16 west drove stake M & L 19.93 1/2. N 89 1/4 E also 1/64 stake west of above 1/16 M & L. 9.96 3/4. 1/16 north set limestone M & L 19.86.

10-1901 W Fraser. P 25 B d. W 1/2 27 Town Board. found. 1/16 west of 1/4 22-27 set P 506

11-24-76 Doubled line and measure from mark found in 1973 as Center 22. own stones (being used as dead man for brace) on S side of comer post at 1/16th S. Measure came ± 2' S of corner post and line came ± 2' E. Dug from corner post S. for 10' to cover W.F full

measure by 7' wide. Also dug on N and E side of corner post. Found nothing (Full. W.F corner 6.57 S of double)

GOV. NOTES - OCT 6, 1853
WEST ON TRUE LINE BETWEEN SECTIONS 22 AND 27.
VAR 9°51' E
40.00 SET POST FOR QR. SEC CORNER
80.00 TO SECTION CORNER

10/3/78 Extended 1976 diggings East and South. Diggings now extend from corner post East for 9' and South for 11½' plus digging West and North as described in the previous Survey.

10/16/78 Set a CIM over a ½"x2' rod at the corner on line from the 1/16th N. of Cen 22 over the mark found at the Center 22 and double the measure from the mark at the Cente 22 over the stone found by the post @ the 1/16th South & now being used as a dead—

¼ Corner 22-27 Orion 105-12 (2)
#522204

-man. Corner 1½' So. of c.p. to fence W-N-E
Nailed Survey Marker Sign to c.p.

RP's: Sp + CSD in S. side 14" Black Oak W.N.W 18.40
Sp. + CSD in N. side blazed 21 Red Oak ENE 41.87
Sp. + CSD in SE side 17" Red Oak NE 41.28

1/16th North 10/3/78 Dug from the corner post South for 4' (to reach W. Fraser's full measure from the mark found @ the Center 22), West for 5' and East for 3'. The stone on the South side of the corner post used as a deadman for the next brace post So. would have made a terrific corner and is possibly W. Fraser's stone. The only other thing we found was

an irregular shaped limestone lying flat
with a piece of zink metal alongside
approx. 3' East and 3' So. of the Corner post.