X 12-1-76 Corner Set #522706

1/4 corner 27-28 Orion 10 5-12. ①

4-1898 H Fraser P621 no 564 d 28 d Aliner.
found DEBT standing on south bank river. also stat old stake
reset corner from B tree by stake and stone 4x6x28
on running N-S section line found corner. 44 links
west of straight line. as Hunter set stake P12 no 13
accepted corner as found for accuracy.
Meas north 39.79. — south 490.88 1145.27
set stakes south 14.87½ then 7.43¾ then 17.35¼ to sec cor.
981.75

10-1901 H Fraser. P250. d. W½ 27. Iron bound.
found corner P621.
drone stake 20.17 east for location N S 1/16 line

11-30-76 Property corner set by W.F. 14.875 chs S. of ¼ Cor 27-28
Found 3" x 6"/96 x 21" limestone set over a bottle 2½' N of corner post to fences West and South. Removed bottle and reset stone over [redacted] spike.

12-1-76 Calculated line and prorated measure from SE 28 over property corner (above). Corner came under huge Maple with large Elms growing on W and N sides. Dug with backhoe on E-W-S sides of tree but found nothing. Set corner at calculated location Set CIM over 1¼" O.D. x 18" pipe as witness corner 15' N on line from ¼ Cor to NE 28.

RP's to Witness Corner
Spike and CSD SE side of Maple (clump) NE 29.75
Spike and CSD N. side blazed 20" Elm W 75.09
Spike and CSD E side of the huge Maple (one corner) SSE 15.54
Water edge S 104'

1/4 CORNER 27-28 ORION 105-12 #522706 (2)

GOV. NOTES - OCT 6, 1853

NORTH BETWEEN SECTION 27 AND 28

VAR 11°35'E

10.00 RISE HILL A35

19.00 ENTER DRY VALLEY d60

24.00 DRY BED OF CREEK 5 LKS d5
WIDE RUNS N.E.

30.00 TOP OF RIDGE A60

37.60 STREAM 20 LKS WIDE
RUNS S.E. + ENTER PRAIRIE

40.00 SET QC. SECTION POST LEVEL
W WALNUT 12 S 5½ E 340
ASH 10 S 51 W 50.

65.00 LEAVE [redacted] DRY bottom + PRAIRIE A30

1856 T.H. over

July, 1856 Thos. Hunter Pg. 12. No. 19 Shows 1/4 Post.
1/16 west 19.72 chs. Then 9.86 chs. to 1/64 Cor then 9.86 chs. to Cen.
B.T.'s to 1/16 Cor. (N11¼°E 18 lks.)(N43¼°W 25½ lks.)