5-28-81 at CIM – May want to dig here again 6½' East #523104 (1)

X

NOTE: See Unfinished cert file

1/4 corner. south 1/4 31 Orion 105-12.

9-1879 Hunter p 362 no 353 d 31 L Buck etal.

Corner gone, no evidence or knowledge, set stake M&L

40 chains measuring line carefully.

used corner to set center 31.

7-1917 J Kerr for Hardin Boda book 1917-10 p27

set 3/4" x 15" rod with bend in upper end and

? (3 x 12 x 14) stone on top set M&L 2639.6 (direct line

from orig stake east & engraved stone west.

Gov. Notes 1853 Sept.
West on south boundary section 31
40.00 Set quarter section post. Built mound with
trench and drove charred stake in center

Government Survey tie of 1.75 chains west to a stone 5X11X11 at North 5-6 Jordan township, Fillmore County

Trav. nail 13.72 W 12.28 S.
JK Iron 16.21 SW 17.4 S
T H stake 14.53 SW 18.4 S

5-26-81 Dug with backhoe from ℄ of E-W road to North Ditch. Fd. J. Kerr Iron with stone (3X12X14) above it .6' East and 5.15' North of the trav. nail. Reference ℄ removed to dig further for T. Hunter Corner. Fd T.H. stake hole with wood pieces running down 10" into clay 2.1 West & 5.75 North of trav. nail. Pulled J. Kerr Iron but left stone to hold position. Set 1/2" Iron in T.H. stake hole. Corner 10' North of ℄ & in line of fence North

#523104 (2)

1/4 Corner South 1/4 31 Orig 105-12

S 1/4 31 J. Kerr

5-28-81 Set CIM over 1/2" rod at ~~Ft~~ location.

R.P.'s Chisel cross in No. End 30" culvert NE 11.42

Chisel cross (1st rivet) in So. End 30" culvert SSE 31.32

Chisel cross in W end 15" culvert NW 35.80

Corner 10' N & and 1' E of fence N.

6-3-1981, N. 5-6, 104-12: Dug with backhoe at Tie of 115.50 (Calc) from our mon. at So. 1/4 31, 105-12

Found stone 6" x 7" x 12" 6 1/2' East of tie location

Recorded stone was 5 1/2 x 11 x 11.

Corner ± 109 West of So. 1/4 31, 105-12

6' East of fence South

± 6' North of ℄ E-W road

LRP } 19.34 SW
17.02 West