SET · CIC/P2 11-15-94 #523306 (1)

1/4 corner. 32-33 Orion 105-12

4-1885 Hunter P395 no 385 d 33 M. Reddy. W Ward.

found. stake tested only remaining BT
the DEBT proved correct left as found with iron bar at side

1/16 east corner corner in creek M&L 19.83.
staked line and set witness corner 2 rods north.

2-1904 C Armstrong P72B d 33-34 Lee 1/4 34-35

corner marked on plat as iron stake.

GOV NOTES - OCT 6, 1853

North BETWEEN SECTION 32+33 VAR. 12° 12' E
10.00 IN dry hollow d 30
16.00 ENTER thickets A 30
33.40 Brook 6 LKS WIDE RUNS EAST
40.00 SET gr. SECTION post
Br. OAK 6 LS 10 E 47L
W OAK 6 N 15 W 320

8-24-1979 We dug a small hole on the East side of the corner post to fences W-E-N. There was an old post and a new post 1' South. When we dug we found the stubs of two post side-by-side and appx 1' South and 1' East of the old post. We did not dig further. There was so much old barbed wire buried here that we could not search satisfactorily for Hunter's iron. We traversed East to the corner post at the Center 33. The fence from the West and South at the 1/16th East would terminate in or very near the creek as described by Hunter.

9-1881 T.H. (BK 5, P125) 1/2 W M&L 20.07 1/2 ; 1/2 So M&L 19.93 1/2

1/4 CORNER 32-33 ORION 105-12 #523306 (2)

11-15-94 WE FOUND A 30" OAK TREE S 10½°E OF C.P. CLUSTER ± 311' THIS BEING THE BEARING AND DISTANCE OF GOV'T WITNESS TREE USED BY T. HUNTER TO VERIFY THE STAKE HE FOUND (S 10½°E 472 LINKS). WE SET A CIC/P² AT BRG AND 311.52' FROM 30" WITNESS TREE. THE CORNER FALLS BETWEEN TWO CORNER POST IN LINE OF FENCE E + N + WSW.