1 7-3-69 Stake found ~~set C/M~~ 1' west stone (unrecorded) fence
(see Card #2) McGhie on prof from mea east 3/4" 116 Ft
1/4 Corner Center 1 Pleas Grove 10 5-13.
7-1876 Hunter P 301 No 296 S 1 N. Neal (1)
set marked stake at true inters lines. set stake
quite deep even with ground surface. Comes about
5' west of Kinney fence. (owns all land west of 1/4 line
north) and a little more than a "fence panel" north of E-W
fences. #530109
1/16 east set marked stake 19.89 M & L. N 89° W
bearing of N-S 1/4 line (1312.74' S 1°10' E

6-23-69 dug from 2' south of fence east north at least 10' on w
side of fence from 18" west to 4' west of fence found only gophers workings.
- found stone found by McGhie 18" west of corner past, a boulder with
flat base pointed to slope like chlorate drop pot point down, never
would have been placed like that as corner, no stake near, no record.
- meas 40' west about 600' S and 600' N this line came 3' east of corner
post not west.
- meas 37' west on rise about 1000' N of center this line missed fence
south at pavement accepted as line of N 1/4 1 39.5'
- found 1/16 stone north of N 1/4 1, will set Center S 36 Marion & set N 1/4 1.

7-3-69 J Kerr Meas from McGhie stone east to E 1/4 1 not set
Set on an M & L 2633.45' and 35.75 east of Cone cor past. found
2622.85' R 2625.5 Meas thru sink hole. Set C/M 1 foot west
of McGhie corner. or 2623.85' set old stone point up on
east side - 2 x 8 x 16 limestone on west side broke only glass jug
around corner - lies 2.6' west & nail in N side corner past set
it line east. - meas north to N 1/4 1 cross in pavement.
& - should be 2616.5 to be on direct line E & W 1/4 corners
N 1/4 1 indefinat - if took fence it lies 12' N of W 1/4 corner

#530109 (2)

Card # 2. Center 1 (¼ corner) Plesa Grove. 105-13

7-7-69 J Kell.

after carefully measuring line from Center 1 north.
from C1M as set 2606.8 and as N½ of east line Sec 1 was
2633.45 and N½ of west line Sec 1 2591.2 and N¼1 is
4.2' north of direct line the mean should be 2616.42
so reset C1M 9.62' south with 1"x12" rod below
boulder on east side - limestone on west side. some glass.
RP. - hard rail on S side 7" round oak brace post 15° NAE 3.0'
Center corner past (8" oak) fence E-N-S. 3.0' E & N 9.8'

(over)

set 1/2" rod. midway. at 1308.2' as property corner not as govt. corner although east line of Sec 1 recorded as midway. - corner canoe about 1' west of N-S fence. and 1'± north of old fence line east and 3' north and 1' west of M'Ghie property corner. A new fence running east lies some 7' north. - pushed line west from this 1/16 corner to point on west line of N 1/2 Sec 1. set midway. at 1305.8 or. 14.6' south of true 1/16 corner as set. Deed does not mention govt record only as half-way.