X 7-16-1968 set C I Mon 1/4 x 30" pipe glass crushed rock (1)
4-7-K found 1½" pipe SE of CIM. much rock around log & corner
1/4 Corner center 3 Pleas Grove 105-13
#530309
9-1884 Hunter P 392 no 383 S 3 St Pierre.
set quarry stone 2x9x18 running to point on top with
glass arround bottom. (stones on plat centers NW & NE 1/4 s.
1/16 north set stone M & L 19.72½ 1301.85 N 50° E not govt prop
1/16 west set quarry stone with glass arround bottom M & L 20.11 1327.26
1/16 east set " " 3x10x18 pointed at top with
broken glass arround bottom M & L 20.05½. 1323.63 due east.

8-1940 J Kerr B 20 P 62-65 L 2-3-9-10.
pipe as corner. (P. 62 says Pipe found as Cen. Sec. 3)
- Meas east 2633.42 to E 1/4 3. (T. Hunter 2647.26) North 2600.43 2654.26 S.

1965 J Kerr Corner reconstruction.
run line from N 1/4 3 south on 5' ⓔ E.
found stone at 1293.0 found 1940. true offset.
set 120 D on 5' ⓔ on rise near power pole.
station 2190.0.
set red head. at 2557.52 2' north of PP on
north bank of road. ← John record to pipe
this 5'E ⓔ line projected to 2597.11 ± due 18.85' east of
meas from west 1/4 3 of 2640 or 2658.85. R2654.52
this line very near correct, dug for 1/16 east likely not
in right spot. Meas to 1/16 fence ~~north~~ east 1346.66 need probee.

4-7-1976 Co. Surv. — dug with backhoe at 1/16 Cor West — hole about 10' E-W x 8' N-S — did not find anything except where Kerr had dug before and also found ¾" pipe which we removed

#S30309

(2)

1/4 corner Center 3 Pleasant Grove 10S-1E.

7-15-16-1968- JKerr to set center correctly.

Corner gone many feet washed away.

run & meas line carefully from W 1/4 cor 3 to point on exact 5' offset from W 1/4 3 over 1/16 stone 2597.11 Meas to pipe therein 1940. Line total 2655.0 (2658.85 in 1965) set rod on line at 1320.18 with RPS as follows

Dist(County) PP N W 51.65 - Dist(County) PP face S W 42.12

dug extensively 3 to 6' east for 1/16 corner, road only 16" to clay washed completely away found nothing. set nothing

rod should be 1/2 2650.0 or 1325. - 4.82 east of rod (over)

for resetting of 1/16 east to W 1/4 3

to further prof Meas & R.E. - east at 3' ⓔ south to found quarry stone 13 x 10 x 18 with glass - Meas to fence line north or 1328.0 from 5' ⓔ or 1323 from true N-S line R1323.6
probed nearly 15' west over great area at 2 intervals found nothing so gave this 1/16 corner up & set center 3 on original 1965 projected line corrected slightly by getting exact 5' ⓔ at 2 north points set at 2597.11 which lines perfect with fence north and a foot or 2 south of fence east put after old road abandoned in times past.
-120 D at 2190 Lies 3½' N & 1½' E ΔPP on hill
-120 D at 2557.52 lies 2.4' N & 2.4' E PP used as corner RP
- bottle cap in power trans pole No 38014 just east of N 37.0
-120 D at station 2557.52. " " " 39.8
- Cap in tele pole LW 59.2

#530309

(3)

Card #3 Center 3 Pleas Grove 105-13

7-10-1969. found data of reseting of 1/16 corner between Center 3 and W1/4 3 - after setting center 3 and digging for 1/16 corner extensively set prox and retied to old ties - Disc (old county disc) in PP 17 355 AZ 307.41 55.43.

Disc in power pole brace 17 356 AZ 240°17' 46.4

set at. M+L 1325.0'

1/16 east of center 3. by notes rail on fence which is 2.5' west of Main 1/16 fence north came at sta 3984.16 from W1/4 3 - 2650'07 1334.16 from center 3 east to rail on fence post R 1323.63 indicating slope should be 10'+ west of cor post

2-15-73 true last addition a puzzle 2650 + 1323 = 3973.

Entire line from W 1/4 3 should be re meas electronically to 1/16 - center 3 and east. both set 1968 and project line and meas east to 1/4 2-3 reset by J Kerr 1940. and massively search again for large 1/16 stone between center 3 and 1/4 2-3.

Stone marked on P 392 as 1/16 north of Center N E 1/4 3 but sure would entail much to even know where to search. Hunter P 392 says stone midway north of center 19.72 1/2 of 1301.85 or 2603.7 J Kerr had 1/16 stone from N 1293.0 and pipe at center at 2597+

J Kerr B 20 says 1/4 2-3 west to pipe 2633.42. Not 2647.26 Used same N 1/4 3 and 1/16 S as J Kerr. sure meas.

+-2-76 (1/16 E) Found 2" x 11" x 22" limestone (no glass) in pasture 13.8 N and 6.3 S of traverse nail at C.P. Also dug 4' x 4' by 3' deep at T.H.'s computed location centered 7' W and 5' S. Found nothing. Probed extensively. Stone probably Kerr's by line and measure.

#530309 (4)

1/4 Corner Center 3 Pleasant Grove 10S-13

4-7-76 Dug with backhoe and found 1½" pipe 3.3' ± South and .9' ± East of Kerr CIM
4-8-76 Dug by hand in 2'x2' hole East of monument and found nothing.