X 7-30-69 set C/N over 5/8 x 12" rod by orig stones, track. (1)

section corner. 4-5-8-9 Pleas. Grove 105-13 #530405

5-1874 Hunter L248 No 249 S 9 Joshua Wheeling

found old stake remains tested stump NEBT.

set stone in its place 8" x 16" x 20"

- 1/16 east set stake M & L 20.09 1/2.
- 1/16 south set temp point M & L 19.86 1/2. 1311.09. also stake 6.50 429' south of section corner.
- 1/16 center NW 1/4 9 set stake by inters lines.
- set stakes south of 1/16 corner east of sec corner 4.99 1/2 for line east - 6.50 for line west

over.

7-1907 Armstrong P112 B & L 4 Michael Mc Connell.
found stone P 248 with 2" x 7" top
corner in fence fence corner and 20' south Cor fence W & N.
- Meas east 20.14 M & L S 89° 54' E
- Meas North 39.96½ to M & L stake S 1° 10' E
2637.69.

1960 Minn Hwy Dept. DuVal
stone 2 x 6 x 20. south of existing fence corner.

Fence fence post	north 8.8.	- 8.6
" " "	northeast 32.6.	- 32.3
" Oak	south 17.3.	- 17.15 20 D under.

7-30-69 J Iles found stone 3 x 5/7 x 12 by stone 6 x 6 x 8 assumed to be corner 20' south of E-W fence (common land) DuVal never dug. set CIM Down 3" over 5/8 x 12" rod. Fence junk & old stones by side, line & west main.

Pleasant Grove Section Corner 4-5-8-9 (2)

Cor Notes on Back #530405

April, 1856 Thos. Hunter Pg. 2 No. 3 shows Sec. Cor.
1/16 West 20.12 chs. M&L

July, 1856 Thos. Hunter Pg. 13 No. 20 shows Sec. Cor
1/16 west 20.12 chs. M&L to 1/4 Post.

Cor't Notes M.G. Karrick 1854

80.00 post in Mound with trench & pits & charcoal stake and Osage Orange stakes at Each angle for corner stakes 4, 5, 8 & 9