#530506 #1

1 8-4-69 set C/M above orig stone rod on N-S sides
orig stone

1/4 corner 5-6 Pleas. Grove 105-13

6-1892 W Fraser P502 no 472 L6 J O'Neal, J Burne
E Angue
See T.F. Field BK 8 p.28

found stone placed from orig stake by J. O'Neal.

1/16 north set stone M & L no meas possibly Gov't prorated which would be 19.84 ± 1/2 & 19.64 ± 1/2

1/16 west set stone M & L " "

7-1856 Hunter P13 no 21 L5 J Brown, J Hartenbower.

used corner and set

1/16 east 19.98 to Center 5

See Card # 2 Chas Armstrong.

Corel

Co Hwy Dept 1969 - pole ⅛ iron set in black top on road west of Simpson Lane but still in place - spud in power pole N.E 109.4.
used corner post. spud in tile pole L.E 70.8 -

7-31-69. J Kerr attempted to find corner post by walking line no N-S fence great masses of brush & weeds investigated one corner for full fence starting south - proved 200'± too far west. 8-4-69 ran line from 5-6-7-8 over ⅛ rod in black top set in 1958 using searched for corner post as corner at that time - corner proved in mass of brush & weeds. - found stone about one foot SW of corner post. limestone 6 x 8 x at least 16" in clear black soil about 14" down - set full size C/M on top with bent ½" rod on N & S side of stone - Cans & Junk on E side of stone - steel post up 2½' .35' east of C/M. Mounded dirt around entire area to come to top of C/M.
4" hackberry trimmed to single trunk NW 2.3' in fence line old corner post rotted off but wire tied on from E & W.

#2

1/4 Corner 5-6 Pleasant Grove 10S-13

#530506

1/16th N 7-15-77 Found M+L point came at the corner post. Dug around post and found many small stone pieces but found nothing further.

Govt Notes M.G. Harrick 1851 N. Random 50L

40.00 Std A temp 1/1 Section Post

S 9 E on true line between Sections 5+6

39.80 Std 1/1 Section post in mound of Wash treated pits, charcoal stakes and Orange Std N.E. + S.W.

1/16 North 9-28-1978 R.W.B. — went back To 1/16 Corner To dig farther North — Found L.S. slightly Tilted To East 1½" x 9" x 11" down about 6" (Stone diamond ◇ shaped and [redacted] Tilted back W) (6.4' N. of 4c post = 7.5' N.NE of 24" Br.O & 16' E. of 20" Twin oak

finding this stone indicates that W.C.F. in 1892 did use Gov't prorated meas. from 1/4 5-6 N. To Sec. Corner when he said in field book #8 p.28 that he meas'd 31½ lks short. or 39.80 Gov't meas. (− 31½ lks) = 39.48½ or 19.84¼ South ½ & 19.64¼ in N.½ which is very close to meas. To 1/16 Stone as found.