#530609 (1)

1/4 corner center 6 Pleas Grove 105-13

6-1892 2t Fraser P502 No 472 Lb J. O'Neal, J Burne
M Argue.

set stone at inters lines -

1/16 east set stone M & L no meas

North set stone and stake M & L 19.919 - 1314.65 line east
set stake 10.134 north - line west above 1/16 then 9.78 1/2 to 1/4 cor
on north line sec 6. 668.84 645.81

- meas south 39.83 3/4 to stone 3 x 10 x 25 set on
sec line & 2629.24 inters line from south.

3-13-73. found stone at 1/4 6-7 meas north
- set nail in center road at 1015.7, set 60D at 2635
- Cont north to E-W fence 3952± record 3943.92
- found 1/16 stone east of center 6 a 3"x7" top limestone among numerous small boulders. east of corner post.
- meas carefully from C/M at 1/4 5-6 1319.2 unrecorded. to 1/16 stone - cont west double meas and found it same in cattle lane badly chewed up & could easily be gone.
- as ground frozen and mud abondoned project.

5-19 17 Chas Armstrong Book K page 19-
plat shows stone at center 6.
meas east 39.98 2638.68 above 1319.2.
(19?) CHD 2"x6" limestone in fence line N-S-E
1/16th E of center 6] corner used large corner post

¼ Corner Center 6 Pleasant Grove 105-13

#530609 (2)

7-77 Dug from 6½{ t.n. . Found nothing. Dug to cover W.F. measure 4' □ 4' from So. and double the measure from 1/16th East

7-27-77 Dug to cover intersection of E-W ¼ line and the line from the S¼ Cor 6 to the 1/16th N of the Center 6. Dug from 2' So to 4½' So of t.n. and from ½' W to 2½' East. Found stone 2"x12"x24" 2' deep on the East side of old post stub. Stone 2.45' So and .8E of t.n. and 7' SSE of the corner post to the fence NW

R.P. CSD in sq. post W 2.0'

7-14-77 (1/16th R) Found 2"x9"x15" limestone down 3" on So. side of a steel fence post in the E-W fence. Set ½"x2' rod on the East side of the stone

R.P's (to road) ! Sp & CSD W side 9" Blazed Br. Oak NW 18.25

Sp & CS D N side 5" Blazed Elm ESE 9.98

Sp & CSD E Side 14" blazed Br. Oak So. 45.85