10-19-1961 set CIM over part of mon stone. ①

#530704

¼ corner 7-18 Pleas Grove 105-13.

6-1886 Hunter P411 no 400 L18 Henry Pointe

found stone in center road placed by pioneer Mr Hare and others to replace original stake, never disputed.

1/16 south set stake N 8 L 20.02. N 55' E

---

6-1892 H Fraser P502 no 472 L6 O. Neal, L. Burns, M Angus

used corner projecting line over center N to replace ¼ cor 6-7.

---

10-1961 J Kerr found stone while surveying Fabacy Road farm.

found 12" square by 3' limestone broke off part & placed CIM on top bal. (me)

Center burr oak just west of fence N 212.0

spud power pole ~~to TD 45~~ ~~SW 94.6~~

~~fence corner post~~ S 36.0

4-17-1973 went to corner to run & meas line south
- found road had been graded and C I M 2.3' below surface.
- placed another C I M on top and re-referenced.

96.44 W S W to orig spud - pulled & laid 3' on N side
set new different PP or re numbered C.B. 45 & 9694.

36.6 S to bottle cap on W side old oak corner post.

29.49 N to bottle cap on E side Creosoted Corner post

Meas south to orig C I M set as Center 18 8-1964. 26 41.96

Meas south to 1" rod set N E corner stone found 26 36.91

Center 18 as reset 5.73 short of record Center 18 south 6.44 short of record.

Pleasant Grove 1/4 corner 7-18 #530704 (2)

Coal Notes on Back

Cont Westerly on McKenick Wash Random 7+14
40.00 Set temp 1/2 station post
East on true line between Sta. 7+18
39.86 Set 1/2 steel post in mound with
trench, pits, and charcoal stake and
Orange Stakes W. E & S.W.