#530709

7-29-1964. set C/M over rod & supposed stone

1/4 corner Center 7 Pleas. Grove 105-13.

6-1892 W Fraser P502 No 472 L6 J O Neal, J Burne (1)
M Angue.

used corner and L 1/4 7 to set south 1/16 by intera
this line with South line Section 6. no mens.
Corners in section 7 used set by Hunter.

4-1905 Robt Fraser P84B L7 Thos Kennedy.
found stone in line fence south on south side road.
1½' deep set stake by side.
— 1/16 west set long limestone slightly below surface. mer)

on line section corner west and gost meas. perp.
Meas short 18 1/2 lks. placing stone at 19.90 3/4
west then 19.60 3/4 to section corner on town line
1294.1 1313.9
- 1/16 center N W 1/4 sec. 7 found stone & stake set
by Armstrong 19.95 1/2 north above 1/16.

Co Hwy dept set rod.

1964 J Kerr found. rod set C I M
corner lies in line fence & about 1.5' south center road.
removed rod dug hole nearly 5' with digger, no stone,
accepted rod as true corner anyway
+ south end 24" galv culv. SE 28.3 found true
+ north " " " " NE 31.05- stone
MHD disc corner post 42.7. 9-29-71 S. 75' W. 95'

#530709

Card No 2 Center ¼ Plea Grove 105-13 (2)

9-21-71. found true W 1/4 T stone and 1/16 L stone east. - Meas true W 1/4 T and true 1/16 1294.05 R 1294.1. - Meas true 1/16 stone now 5/8" rod over stone to C/M in place over assumed corner rod set by Co H.D. 2609.05 R. 2608.0 - line random at W 1/4 .9' S & corner found; line random at 1/4 .1' N, line random at Center .55' N & stone and stone found at 2608.1 or 1314.05W to 1/16 R. 1313.9 & found.

9-29-71. found true stone 4" x 7" x 20" 4.3' deep .95' west and .55' south C/M in place, removed C/M and rod below and set both over stone found. so Center stone found .15'± north and .15 east of record. (could easily fit this at 1/16 stone west. but will leave as is.

RPs over.

RP 1/16 west of Center 7. 5/8" rod over orig limestone.
20 D in hub. in 7" Chinese elm. blazed SW 41.38.
" 8" " " SE 40.7.
no fences anywhere, almost in exact center of old road.

RP center 7 as reset. CIM over orig rod.

34.2 S to Like boat cap N side corner part E, W-S fences

5-1970 Chas Armstrong Book K page 19

Meas. N to stone 39.86 1/2 2621.09.
Meas. E to stone 39.42. 2601.72