#531006 (1)

/. Set CI Cap. 1980

1/4 corner 9-10 Pleas. Grove 105-13

9-1876 Hunter P305 no 300 L9 L. Burnett.

found mound in old fence with stake remains in center.

-1/16 south set stake 19.93 M&L. also stake on Line 1315.38
739.86
11.21 south above 1/16 chon 8.72 to sec cor. stake set
from B tree by riner. 575.52

2-1892 J Fraser P470 no 451 L10 Goodwin, Campion.

corner gone. set stake M&L. 39.69 2/3 2620 d.

6" Bl Oak. N 48° E. 5 3/4 lks.

-1/16 each set stake M&L 19.88 1312.1

ORG)

5-1900 Robt Fraser P696 No 601 S 9. (NE'4) Ed Campion.
found stake claimed to be corner. set by H Fraser but
wasn't sure it hadn't been moved. accepted as it
tested well by mean.
-1/16 north stake. 19.94 set stake M & L. 1316.5
-1/16 west set stake 20.13¼ M & L → 1328.74

12-1903 Armstrong P 70 B. S 10, Kennedy, Bottmann, Barrett.
wood stake in plat
1/16 S iron stake This corner claimed seen by farmer. Bennet that
lives N side road near turn off to golf course. Could get No.
other information and no dip from needle.
4-13-73 found iron 2.9' deep just N E road on line fence N & S.
RPs. 34.55 to cap WSPP #39090 – 1465 WSW to cap SSTP Repair cap.

#531006

Card # 2. 1/4 9-10 Pleasant Grove (2)

105-13

6-1917. D Williams (JKerr Dep) P266 B. JKerr fieldbook -10 P13-16
found "stake" at 1/4 9-10 and "stake" 659' N. Could not
meas N to stone found at 3-4-9-10 may or may not have
ran aerial on this line (likely not.
— surveyed plot using 1/4 9-10 as SW corner. 659' N & S. 1315.5
using NW 10- N 1/4 10 (stones found) and center 10 post E-W
and set 1/16 stone N & center 10 N & L 1305.7.
4-16-73 Meas from iron (eye line 12' + west) north parallel to
fence ont ending some 8' west of fence for 1315 rail- cont
meas N over open field without line to corner post of fences
E-W-N at 1/4 corner found by JKerr 659' N of 1/4 9-10.
- dug & found nothing but small chip & stone & piece of wood.
at about 1316.5 from S- set ele fence post to hold this point
this meas not exact of course. 1065

1/4 9-10 No (2).

4-18. ran 12° (5) line from 1/4 8-9 over center 9. 1 chex 1.20 D in top old post-stub. this line ended way too far north corrected for 12° it fell 1325.2 from S. 1316± 651.2 from W. 660±
total actual 1976.5' - so line could be 9'± further S or center 9 off 4.5' too far north ± or bad kink in line -

4-19. easily found recorded red cedar stake at center 9 .45' W and 4.65 S. or 9.3 at 1/4 9-10 or 2.7 N of said.

4-26 ran careful traverse from 9-10-15-16 north checking 1/16 iron set by Chas Armstrong and point at 1/4 9-10 set 4-18 also took sight & meas to rod at 3-4-9-10. results as follows on card 3.

1/4 Corner 9-10 Pleasant Grove 105-13 (3)
#531006

4-28-1980 (1980 Remon. Book) Set a C.I. cap in a square pipe over a 1" square tube as 1/4 corner with survey marker sign and post 1' East. The corner falls ± 3' West of Bulkhead & fence post South. We set the corner by running E-W 1/4 line in Section 9 and used 1973 position of fence line for E-W position. We measured 342' to the West line of the East 10 Acres of the SE 1/4 of the NE 1/4 of Section 9, 105-13

This position corner near the measure of Robert Fraser from the Center of Sec. 9 to the East 1/4 Cor.

Card # 3 1/4 9-10 Pleasant Grove 105-13 (3)

Meas 9-10-15-16 North to Ch armstrong iron-

Meas. iron north to section corner 3-4-9-10.

alignment & corners traverse computations -

Gov't Notes M.G Franck 1554

40.00 Std 1/4 Std. post

Blk Oak & 533 E 6.15

Dug Trench