#531204

1 4-12-77 set Cast Iron Cap over pipe (1)

1/4 corner 12-13 Please Drone 105-13.

1-1872 Hunter P190 No 201 L13, Williams, Pierce, Blair.
found corner standing, tested all B trees correct except
L E.B.T. which is L 50°E instead of L 55°E.
Gov't B.T.'s Book 18" N 20°W 34 Links
Book 12" = 55°E 45 L.

2-1874 Hunter P239 No 241 L13 J. Tait, E Derby.
found corner & B trees as in P190.
1/16 east set stake N & L. 20.32 } 13 41/2
1/16 west set stake N & L 19.90 } 13 3/4 N 89° 20' W.
bearing of N-S 1/4 line N 1° 12' W
- set stake west 13.27 on line then mean 6.63 to above 1/16 cor.

1964 McGhie (R.B.)

Set 1" pipe on Line from South (former survey by McGhie)
Corner ± 400' N. of River
Blazed Black ash Tree (15") N.W. — no meas.
Blazed Twin 6" OAK — N.E. - No meas.
See McGhie Notes for line from South.
Meas. North 1307' — 1307' To assumed Cor. 12 (2" pipe)

4-28-75 Found 1" pipe set by McGhie's approx. 400' N. of ℄ Root River. No new R.P.'s

5-76 Corner to be set (E-W) on line from 5¼ Cor 13 over Center 13.

T. M. field book 4 p. 98-99 Sec. 13 Jan. 1876
B.T.'s at 1/16 Cor. East N 43½° W 25 lks 24" Elm
S 12° W 29 " 10" Elm
S 75° W 66 " 8" Rx Elm

4-12-1977 Set Cast Iron Cap over pipe #531204 (2)

1/4 Corner 12-13 Pleasant Grove 105-13

4-12-77

Set pipe & Cap 3.1 North & 2.7' West of McGhie pipe (pipe was gone - hole left inplace which we used to set 1/4 Corner) used old fence tied to trees going east for N-S

R.P.'s spike in N.W. side 9" oak S.W. - 10.88

spike in East side 12" B. oak N.W. - 11.08

Spike in S.E. side twin 5" Ironwood N.E. - 11.65

Center 18" tree used as Fence

Corner - fence runs northerly & southeasterly North - 49.3

After setting Corner found 5"x7" top of long limestone about 8' south & 8' west of pipe set.

Gov't Notes on Back

Gov't Wolfs M. G. Kendrick 1851 E mas Ranlon
12-13
40.00 Std Temp Std Post
West on true line between Std 12-13
40.00 Std 1/4 Std Post V 10° 23'
Bur Oak 18 N 70 W 31
"
12 S 55 E 45