X 4-17-72 found limestone found to ~~[illegible]~~ 1434 & 1 B-F
~~Shiner found~~ ~~Corner Correct~~ #531609
McGhie & Betts set 1" iron shaft as corner-

1/4 Corner Center 16 Pleasant Grove 105-13.
11-1886 Hunter P417 No 406 & 16 P Redmond, Jr Levan.
set white oak stake at true inters lines.
12" white oak & 72° E 43 lks - 25.4
6" " " N 26° E 76 lks. - 50.2 blazed & marked.
- north set stakes at 15.10 1/2 (well down) then 5.03 1/16, (found) then 503 1/16
then 15.10 1/2 to N 1/4 16.

---

11-1939 J Kerr P544 B B16 P58 Erwin chain.
found limestone in place which proved to be on a true
E-W 1/4 line which was run entire mile.
1/16 east at M & L. 1331.66 - line detailed P59 B16. over.

1/16 east set iron rod M&L to stone boulder at E 1/4 16.
RP above 1/16 14" black walnut NE 10.7
also set iron south above 1/16 cor 642.1 for SE cor lot 23.
RP above iron SE cor lot 23. 8" poplar 6' southwesterly.
— south meas 2568.4.
set iron on line at 642.1 ac. SW cor lot 23.
RP to center section 16 12" Elm N 16° 30' W 36.6'
28" Elm S 81° 15' W 68.9'
~~Center 17" elm N 83° 40 E 64.15 gone~~
" 10" pin oak N 6° 45' W. 47.5
5-28-1901 H Fraser Caplon set stone at 1/16 North
also new stake at Center and every 5.03 north to 1/16 corner
#-17-72 found stone and Skeen witness tree above still standing & keyed.
#330.44 east to 1/16 iron set by Skeen then 1333.46 east to iron rod set
ac 1/4 15-16 on prop line from 1/16 stone & woodlot stone with acc. 1/4 15-16.

Card # 2. Center 16 Pleasant Grove 10 S-13.
4-19-1972. offset 50' east of limestone found with same offset east at large iron post in massive concrete base
#531609
flowed set in place of iron set at 642.1 as SW cor lot 23
Meas S on corrected 50' offset (90°) post very near 642.1
found. large sodded over corner post stub 49.3 west of
50' offset at 2568.43 (record) close enough to prove
same corner used by Ikes - set 2" oak stake in post hole.
there was a large iron post concreted in 16.5' due north. as
old easement road west once used or stated on (see above)
4-24-72. Con't 50' offset east NW line north toward 1/4 9-16.
set POTS at 275, 332, 565, 664, 900 where line was
offset 1' west making line now 49' east of 1/4 line S.
set POTS at 1150, 1328 as 1/16 area still 49' E. ?? maybe.
Con't line set POT 2028', 2528' 2656. rail over.

triangulated across river to top of bluff toward center 9.
from line point S to nail 125' North of 2658 nail on final
offset. now not too sure as to final offset east.
final to Center 9 as located in 1971. 26 18.6 R 2624.16
(consider pioneer survey over bluff seems hard to trace).
Corner far from set. at Center 16 and S 1/4 questionable.
1973-4-20 dug entire area at 1/4 9-16 and found 2 post
holes, one still had solid wood stub in it.
also found very positive wood stake "well down" about
990 south of above 2 posts. (no dispute as to this stake -
drove 4' rod and referenced carefully. (later pulled & are considered)
4-25 searched again at 1/4 9-16 found wood stake under
tree about 7.9 N of wood post stub & stake and about 3'
east of stake hole which came 39.6 west of 40' (E) from west

Card # 3 Center 16 Pleasant Grove #531609 (3)
which moved actually be. less by .9' as true center 9 found
.45 west of projected line. or 39.6' - .9' or 38.7
- as final corner at 1/4 9-16 used stake under tree and
moved corner mark 40.5 from offset compromising meas.
- set Center 9 .2' east of cedar stake found as part of
projecting making offset now at center 9 40.25'.
- final on Center 16 4-25-73 re run entire N-S 1/4 line
from final corner at 1/4 9-16 over stake 890 south and
missed S 1/4 16 (now C/M) on east side 3.5' corrected.
so moved nail at Center 16 west 1.67' (must move to 1.73
and exact N-S of 1965 timeline (now 10.5 west
also set nail 6' north for McGhie final traverse.

Cover

final run for E-W 1/4 line 16 will place center 16
5.4' north of nail or when corner set it will be.
10.5 east and 5.4 North of Kerr limestone.

Mc+B set 1" iron Shaft as Corner

RPS. S 60°E 8" Elm spk in side - 9 ft. ± } Taken by DNR Foresters 5-9-80
S 20°W 10" Elm " " 15 ft. ± }

---

Jan. 1864 P.C. Compton Pg. 79 No. 118 show center Sec
Does Not say How or if set. Did survey in S.E. 1/4 N.E. 1/4
Sec. 16