#531804

1 4-17-1973 Set C/M over chat iron rod in place of wood stake found and tested by line North. (1)

1/4 corner 18-19 Pleas Grove 105-13.

6-1886 Hunter P411 no 400 S 18 Henry Wortte. cert 3-12-75

found remains of old stake under ground surface in line old fence north and ridge built for line east. drove new stake well down even with surface.

1/16 North set marked stake N 6 L. 19.97 N55'E which came 2 lks north and 6 1/2 lks east of stone 1318.02 assumed as this corner.

- Meas west 39.82 to stone 2628.12
- Meas east 39.98 1/2 to orig corner by side of old fence
- North to prop line - set stake 6.67 (440.2' for line west.

mcf

4-17-1973 found large wood stake like part of old post but long and definate and on running and meas of N-S 1/4 line and digging enter area believe it true corner
- set C/M over short iron rod.
1/16 north →
- found on extensive digging a definate hub in sub grade of road down over 2' at 1/16 area north
After finding true corner at Center 18. and setting final C/M at 1/4 18-19. set small temp bolt at 1/16 corner to make it N&L 1314.8 to Center 18 and on enter N-S 1/4 line
- Meas N to Center 18. 2629.6 then 2636.9 to 1/4 7-18
See Center 18 for 1/16 corner north R.P.s

Pleasant Grove Yearbook 1918 #531804 (2)
Girl writes on Back

Gov't Wells M.G. Karrick 1854 West Ranlon 1849

40.00 Std stamp 1/1 Station Post

N 87° 50' E on true line between Std 1849

40.08 Std 1/1 Station Post

Black Oak 15 Sts & Grs

Pug stamp