#531906

~~7-29-1964 set C/M over orig stone & stake~~
10/17/91 set 1" Sq. P. pr/cap 1 ft new blacktop (D)

1/4 corner west 1/4 19 Pleas Grove 105-13.
east 1/4 24 High Forest 105-14.

No definate records - but limestone and stake in place and used by Co Hwy Dept and other surveyors.
7-1964 J Kerr for purpose of preserving corners.
dug extensively from one remaining reference.
found stone and stake
set C/M. above stone and other objects.

Bk Notes
No. 10 S. 1 gal. on 1 - 1000
Bk 10 No. E 185
Bk 12 N 2 1/2 W. 151

over
RPs.

1968 tie changes.

3/4" x 36" steel rod up 6" under fence E ~~100.0~~ 99.93

Rice power pole. NE. 38.65

" " " N.W. ~~43.8~~ 44.96

" new tele pole. S.W. ~~50~~ 54.84

" old tele pole (original witness W. S.W. 102.6.

corner lines with fence running east.

corner lies 3'± east of center traveled road surface (1964.

" " in center road 6-1968.

C.H.D. Book# 137 page 57 Found limestone in road intersection online of Fence running east by avers of Ben Engel who had lived here for 50 yrs.

1/4 CORNER W 1/4 19 PLEASANT GROVE 105-13 (2)
E 1/4 24 HIGH FOREST 105-14

6/1/89 SET REF PIPE EAST ON LINE TO
PLASTIC DISK IN P.P. # 9589 #531906
M@ W 1/4 19 TO REF PIPE 80.40'
10/17/91 County Surveyor set 1" Sq pipe/cap
1/2' west of E of N-S CR # 20, the corner
lines with fence east and E CR 120 running
west. Rp CSD in PP # 50697 WNW 86.04'

CHD (book 103) found 4"x6"x18" limestone
Rp's spike in 5" oak on fence line NW 69.8'
spike in 15" burr oak E 46.6'
spike in fence post in fence line on east side of rd
SE 60.5'