X 7-29-79 Set PK6/p2 #532006 (1)

1/4 Corner 19-20 Plat Grove 105-13
5-1901 H Fraser P10B L20 Town Board.
didn't use above corner but
- 1/16 south found stone & stake, indicating corner recently used, (no mear)

11-1939 J Kerr P542B B16 P57 L20 Town Chase.
used corner - large iron shaft and ∠ bar 10 rods east.
- mear north 2621.37 to twisted steel shaft
- mear east 2638.6 to stone at center 20.
- mear south (1313.75') M & L to 1/16 Set (no mention of WF done).
- 1/16 south a corner set M & L 1313.75 To 3/4" bolt & stones placed 18" deep as SW cor 20.

above 1/16 not described but point set last as SE corner 5 acres over)

12-1939 J Kerr B16 P75-P548 L19 E Chase.
used corner for line North to turned rod at NW 20.
set iron stakes north 377.19. then another 471.46
also set iron stakes 462' west of 2' above stone and limp
2 iron stakes north parallel E W point 462' W of 1/4 cor
for mear North.
R.P.s. angle iron found E 10 rods. Large iron shaft found. as
7" ash W 33.65 1979 Fd. } BK 25 P.76 Here Kerr sage
18" butternut S W 71.0 } corner now a
18" red oak S S W 28.4 stump } fence post
10" ash. S E 5.9 Fd. }
6/19-20.
.35
66
210
210
23.10
26.40
Govt Notes M.C. Karrick 1854
40.00 Wh. & Walnut S 50° W 35 Set Stone post
Iron Wood 10 S 11 E 11

#F532006 (2)

¼ Cor. 19-20 Pleasant Grove 105-13

7-12-1979 Traversed into the corner post which set Kerr's 1941 ties (Book 25, Page 76) to an Ash SE 5.9, an Ash W 33.65 and a large Oak stump SSW 28.4 There were two steel fence posts driven deep (tops up 1') on the North side of the corner post. We used the most N'ly one as a traverse point (it stood appx 2½' N) We also found and shot the angle iron described as 10 rods East by Kerr on the South side of the E-W fence. An 18" Butternut stands 22 feet from the corner post and within 1 to 2 feet of S64°W. The

tree is almost dead and is rotting through at the base facing the corner post. This tree should be tested as Original Govt Dog. Tree.

7-25-1979 Set a CIC on telepo on the NW side of the corner post (Ife. E-W-S) as the corner. The corner is 165' West of Kerr & iron found 165' East and on the line from the E 1/4 Cor 20 on the & iron.

RP's: Center 12" Ash SE 6.6

Spike and CSD in E side 19" blazed Red Oak SSW 61.68

Spike and CSD in South side 10" Ash in fence line West W 33.05