1 7-19-72 found exact recorded limestone set 3/8" (1)
8-18-82 CIA electric fence post on S side of stone

section corner 23-24-25-26 Pleas. Grove 105-13 #532405

9-1885 Hunter P401 No 391 ∠25 J. Tait, J Baker, J French. D Brown

Corner post aered by Mr Thos Struckman as set for fence west in center mound where orig corner stood. dug up remains of old corner post and set stone 6x6x14" ~~meas~~ covered by ∠88½E
- meas east 40.07 To stone set at old stone remains ∠89½W
1/16 south set stake M&L 19.99½ for line east. ∠1°52E

---

9-1885 Hunter P403 No 392 ∠24 J Baker, H Lourie, J French.
found stone P401.
1/16 east set stone 3x3x14 M&L 20.03½. (1322.21
1/16 north set temp stake for line E, M&L 19.89½ (1313.07 over)

4- 1895 W Fraser P 563 No 517 S 23 J.O'Connor, W Burgan & Lowrie.
found corner stone P 40 3.
- meas north 39.79 to corner P 40 3. (2626.14
- meas West 39.83 to stone set M+L this survey (2628.78
3 x 3 x 22

---

7-19-72. walked to corner area- no research work.
found 6" square limestone in 2 pieces stubbin place
vertically top piece very slightly shifted west (down slope)
set 3/8" elec fence post N Side up a foot or so.
corner 1½' NEly of huge red cedar corner post "Texas cedar"
20.5' S to approx center 3' burr oak in fence (huge tree)
Gov't Notes M.G. Karrick 1851
40.00 St-1 St-1. post to 23, 24, 75, 26
Bur Oak 8 in NCO E 188
Dbl trunk

Pleasant Grove Station ~~~~ 23-24-25-26 ©
#532405

Cor'l Notes on Back

8-18-1982, Sec. Cr. 23-24-25-26: Drove drill steel on N. side of stone (.3 N. of Center) and left 3/8" electric fence post on South side (bent over). Set CIM directly on top of the stone. This corner is 1½' NE of the center of the corner post to fence N-S-E-W.

RP: Spike and CSD on West side of large Oak on East side of fence South. South 21.15'

Govt Notes M.G Karrick 1864 Section 23, 24, 25, 26
80.00 Set post for corner to Sect. 23, 24, 25, 26
Bur Oak 8 Nco E 18L
Dug trench